54803/B

61834

A

CATALOGUE

OF THE

PLANTS

IN THE

BOTANIC GARDEN

AT

WHITBY,

Arranged according to the Linnæan System:

WITH THE

RULES OF THE INSTITUTION,

AND A

LIST OF SUBSCRIBERS.

Whitby:

Printed by R. Rodgers;

AND SOLD BY ALEX. WILLISON, CURATOR OF THE BOTANIC GARDEN.

1814.

WELLCOME
HISTORICAL
MEDICAL
LIBRARY

PREFACE.

THE following Catalogue comprehends but a small part of the numerous and diversified productions of Nature in the vegetable world. THE WHITBY BOTANIC GARDEN *is yet in its infancy; and it was necessary, in forming it, to circumscribe the plan, according to the limited extent of the funds. Almost all the plants introduced are* perennials, *and, with a very few exceptions, are of the* hardy *kind, capable of growing in our climate in the open air. A number of plants, especially trees, which it might have been inconvenient to admit in the present state of the garden, or which, being generally known and every where to be met with, it was deemed unnecessary to insert, have been simply referred to at the end of the Orders to which they respectively belong. It is proposed to extend the plan of the garden, in proportion to the increase of subscribers; first, by the introduction of* annuals, *and afterwards by providing a Conservatory, for the reception of such exotic plants as re-*

quire to be sheltered from the cold, or cherished by artificial heat. And may it not be presumed, that the time is not far distant, when the institution, which has just commenced on a scale so limited, will, through a growing taste for the study of Botany, among the inhabitants of Whitby and its vicinity, be placed on a most respectable footing? In several of the principal towns in England, large Botanic Gardens have been formed, and are liberally supported. The study of Botany is become fashionable, and is pursued with delight both by ladies and gentlemen. And truly it is most desirable, that the frivolous and pernicious amusements, which so often engross the attention of the young and the gay, should be superseded by the innocent, rational, and exalted pleasures, which this study is calculated to afford. Here improvement and pleasure are combined; and the pleasure which it yields is not that which transports for a moment, but issues in languor, nor that which gratifies to corrupt, and charms to destroy, but is at once refined, extensive, and durable. It is not in the garden alone that the student of Botany pursues his favourite amusement; he finds a source of employment and delight, in every field, and every grove. Wherever he walks, wherever he travels, his pleasures attend him.—Besides, which is of far more importance, such studies have a tendency to expand the soul, and elevate it to the great Source of being, whose glory is beheld in the most minute of

his works, as well as in the most stupendous. The same admirable order and beauty which the astronomer traces with enthusiasm among the numerous orbs which adorn the heavens, are discovered by the botanist among the less splendid, but more numerous ornaments which deck the earth; with this advantage on the part of the latter, that he can pursue his investigations with greater accuracy, and to a greater extent, as he has the objects of his research immediately under his eye, and meets them in an endless variety of forms.

The arrangement of the plants in the Catalogue, which corresponds with their arrangement in the garden, is according to the system of the celebrated LINNÆUS, *or what is called* the sexual system. *It has been fully ascertained, that the propagation of plants is conducted by the great Author of nature in a manner somewhat analogous to the propagation of animals. Two different kinds of flowers, or two different kinds of parts in the same flower, are requisite for the production of fruit. In most plants, each flower is furnished with both kinds of parts necessary for fructification. Such flowers are termed* hermaphrodite. *In each of them, we generally find in the centre a small tube, or tubes, with an expanded termination. This part of the flower is called the* pistil; *the tube itself is named the* style, *its expanded termination the* stigma, *and its base, or inferior termination, is the* germen, *which is the*

rudiment or embryo of the future fruit. Around this central tube, or tubes, (for there are often many pistils in the same flower,) are placed the stamens, *consisting of slender* filaments, *each furnished with an* anther, *which appears like a small grain, adhering to the top of the filament. In the* anthers *is contained the* pollen, *a fine dust, very frequently of a yellow colour, which, when the flower is in full blow, bursts from the* anthers *and is shed on the* stigma, *or top of the* pistil; *and the latter being always moistened with a viscid fluid, readily retains and absorbs it. In the generality of plants, as has been remarked, the flowers are* hermaphrodite, *having both* stamens *and* pistils; *but there are some plants which bear flowers that have* stamens *only, and flowers that have* pistils *only; the former are called* male *flowers, the latter* female. *Such are the plants in the XXI and XXII Classes; in the last of which the male flowers grow on one plant, and the female on another. It is observable that in these singular plants the* pollen *is in general very abundant, that being copiously scattered in every direction by the winds, or carried about by winged insects, when they are in search of honey, some part of it at least may reach its destination. Similar arrangements for accomplishing the ends of nature are conspicuous in plants which bear* hermaphrodite *flowers; as, for instance, the flowers which droop have the pistils longer than the stamens,*

while in those which grow erect they are shorter; that in both cases the falling of the pollen *upon the* stigma *may be facilitated.*

The characters of the first thirteen Classes in the Linnæan System are taken from the number of the stamens *in each flower, and the characters of the Orders in these Classes from the number of the* pistils. *The characters of the remaining Classes, and of their Orders, are taken from other circumstances relating to their parts of fructification; as will be found noticed in the Catalogue, at the head of each of these Classes and Orders, as they occur.*

In preparing this Catalogue, much use has been made of the HORTUS CANTABRIGIENSIS; *considerable assistance has also been derived from the* EDINBURGH ENCYCLOPÆDIA, SMITH'S FLORA BRITANNICA, *and other sources. Notwithstanding these helps, the experienced Botanist will easily detect a number of blemishes. In some instances plants have been given as* species *which are only* varieties. *The introduction of so many double flowers may be thought injudicious; as flowers of that description are not the proper objects of botanical research, being a kind of unnatural productions, in which the stamens and pistils (or a great part of them) have grown into petals; and which of course can produce no fruit. Some of these flowers however are of exquisite beauty; and though in some instances the original species has been omitted in the Catalogue, care will be*

taken to have it planted in the garden beside the double flower derived from it. It may be hoped, that the increase of the garden will soon render another edition of the Catalogue necessary, when it may be presented to the public with fewer imperfections.

It is humbly requested, that Gentlemen who visit foreign countries, or who have ships trading to foreign parts, would have the goodness to improve the facilities which they possess for enriching the garden with exotics, *by procuring* plants *or* seeds; *the former may be packed in* moss, *the latter in* paper.

G. Y.

LAWS AND REGULATIONS

OF THE

Whitby Botanic Garden

I. Each subscriber shall pay two Guineas for the first year, and one Guinea for every succeeding year. The first year's subscription, or entrance-money, may be afterwards raised, in proportion to the extent of the Garden.

II. The business of the institution shall be managed by a Treasurer, a Secretary, and a Committee of seven subscribers, chosen by a General Meeting.

III. The plants shall be considered as belonging to the subscribers; and the property of each individual in them, shall be in proportion to the money paid in for his share from the commencement of the institution. Any subscriber may transfer his share to another person.

IV. The Committee shall meet once a month in summer and autumn, and at such other times as they shall appoint. Three members shall be a quorum.

V. The Committee shall allot to the Curator, out of the annual subscriptions such a sum as they shall deem an adequate compensation for his labour and charges; and shall expend the remainder in the purchase of plants, and in procuring such accommodations for the Garden as may be requisite.

VI. A General Meeting of the subscribers will be held annually on the first Friday in August; when the accounts shall be audited, and the Committee for the following year appointed.

VII. The subscriptions shall be paid at the annual meeting, or within a month after. Each year's subscription to be paid in advance.

VIII. The committee shall see that the plants be arranged systematically, and kept in good order. They may dispose of the cuttings, seeds, or duplicates of the plants, for the benefit of the institution, or give them to the Curator.

IX. Subscribers will have access to the Garden every lawful day. The Curator will give attendance every Friday to assist them in inspecting the plants.

X. Any member of the family of a subscriber, residing in his house, may have access to the Garden. No other persons, who are nonsubscribers, residing in Whitby and its immediate vicinity, shall be admitted, except for the purpose of inspecting the Garden, with a view to become subscribers. Strangers, or occasional residents, may be introduced by any subscriber, that subscriber being accountable for their behaviour.

XI. No person whatever shall pluck or destroy the flowers, take away any plants or parts of plants, or otherwise deface or injure the Garden; except that when there are more than ten flowers on a plant, any subscriber may pull one for botanical examination. Any one offending against this rule shall forfeit a fine of five shillings.

XII. The Committee may frame such temporary regulations as may appear expedient for the good of the institution: which regulations the next general meeting may either confirm or annul.

LIST OF THE COMMITTEE

CHOSEN BY A GENERAL MEETING OF THE SUBSCRIBERS HELD AT THE TOWN-HALL, OF FRIDAY THE 3rd OF JUNE, 1814.

Treasurer—*Henry Simpson, Esq.*

COMMITTEE.

Mr. John Bird,
Edward Chapman, Esq.
Thomas Fishburn, Esq.
Capt. John Frankland,
John Holt, jun. Esq.
George Sanders, Esq.
William Skinner, Esq.

Secretary—*Rev. George Young.*

LIST OF SUBSCRIBERS.

John Benson, Esq.
Mr. John Bird
Thomas Broderick, Esq.
Edward Chapman, Esq.
Thomas Chapman, Esq.
Wak. Simpson Chapman, Esq.
John Chapman, jun. Esq.
Thomas Fishburn, Esq.
Capt. John Frankland
John Holt, jun. Esq.
Dr. John Loy
Richard Moorsom, Esq.
Richard Moorsom, jun. Esq.
Thomas Peirson, Esq.
George Sanders, Esq.
Jonathan Sanders, Esq.
Henry Simpson, Esq.
William Skinner, Esq.
Rev. George Young

CATALOGUE

OF

PLANTS.

CLASS I.

MONANDRIA—1 STAMEN *(Male.*

ORDER 1.

MONOGYNIA—1 PISTIL *(Female.)*

No.	*Linnæan Name.*	*English Name.*	*Native Soil.*	*Time of Flower.*
	SALICORNIA,	GLASS-WORT.		
1.	fruticosa,	shrubby.	Britain.	Aug.—Sept.
	HIPPURIS,	MARE'S-TAIL.		
2.	vulgaris,	common.	———	May—June.

ORDER II.

DIGYNIA—2 PISTILS.

To this order belong Corispermum--Tick-seed, Callitriche--Water-star-wort, and Blitum--Strawberry-blite; which are all annuals.

CLASS II.

DIANDRIA—2 STAMENS.

ORDER I.

MONOGYNIA—1 PISTIL.

	JASMINUM,	JASMINE.		
3.	1. fruticans,	yellow.	S. Europe.	July—Sept.
4.	2. humile,	dwarf yellow.		July—Sept.
5.	3. officinale,	common white.	China.	June—Oct.
	LIGUSTRUM,	PRIVET.		
6.	vulgare,	common.	Britain.	June—July.
	PHILLYREA,	PHILLYREA.		
7.	1. media,	privet-leaved.	S. Europe.	May—June.
8.	2. angustifolia,	narrow-leaved.	———	—— ——
9.	3. latifolia,	broad-leaved.	———	—— ——
	CHIONANTHUS,	FRINGE-TREE.		
10.	Virginicus,	Virginian.	N. Amer.	July.
	SYRINGA,	LILAC.		
11.	1. vulgaris,	common.	Persia.	Apr.—May.
12.	2. Persica,	Persian.	———	May.
	CIRCÆA,	ENCHANTER's NIGHT-SHADE.		
13.	1. Alpina,	mountain.	Britain.	June—July.
14.	2. Lutetiana,	common.	———	—— ——
	VERONICA,	SPEEDWELL.		
15.	1. Sibirica,	Siberian.	Siberia.	July—Aug.
16.	2. Virginica,	Virginian.	N. Amer.	—— ——
17.	3. ——flore albo,	——— white.	———	—— ——
18.	4. spuria,	bastard.	Europe.	July.
19.	5. ——fl. incarnato,	blush-flowered.	———	——

20.	6. maritima fl. alb.	sea,-white.	Eu.Coasts.	July.
21.	7. spicata,	spiked.	Britain.	June—July.
22.	8. hybrida,	Welch.	——	—— ——
23.	9. officinalis,	officinal.	——	—— ——
24.	10. multifida,	many-cleft.	Austria.	July
25.	11. longifolia,	long-leaved.	——	July—Aug.
26.	12. Teucrium,	Hungarian.	Hungary.	July.
27.	13. laciniata,	jagged-leaved.	Siberia.	June—July.
28.	14. fruticulosa,	shrubby.	Britain.	July.
29.	15. gentianoides,	gentian-leaved.	Armenia.	——
30.	16. orientalis,	eastern.	Levant.	——
31.	17. Austriaca,	Austrian.	Austria.	——
32.	18. Chamædrys,	Germander.	Britain.	May—June.
33.	19. montana,	mountain.	——	—— ——
34.	20. aphylla,	naked-stalked.	Switzerl.	May—July.

	CUNILA,	CUNILA.		
36.	1. capitata,	headed.	Siberia.	July—Aug.
37.	2. mariana,	mint-leaved.	N. Amer.	Aug.

	GRATIOLA,	HEDGE-HYSSOP.		
39.	officinalis,	officinal.	S. Europe.	July—Aug.
	VERBENA,	VERVAIN.		
40.	1. hastata,	halbert-leaved.	Canada.	July—Aug.
41.	2. urticifolia,	nettle-leaved.	N. Amer.	June—Sept.

	LYCOPUS,	WATER-HOREHOUND.		
44.	1. Europæus,	common.	Britain.	July—Aug.
45.	2. Virginicus,	Virginian.	Virginia.	—— ——

	MONARDA,	MONARDA.		
46.	1. fistulosa,	hollow-stalked.	N. Amer.	July—Aug.
47.	2. ——— *var.*	———	———	—— ——
48.	3. rugosa,	white-flowered.	———	—— ——
	ROSMARINUS,	ROSEMARY.		
50.	officinalis,	common.	S. Europe.	Feb.—Mar.
	SALVIA,	SAGE.		
51.	1. glutinosa,	yellow-flowered.	Germany.	June—Oct.
52.	2. argentea,	silvery.	Crete.	May—July.
53.	3. sylvestris,	wood.	Austria.	July—Aug.
54.	4. hæmatodes,	bloody-veined.	Italy.	—— ——
55.	5. officinalis,	officinal.	S. Europe.	June—July.
	PINGUICOLA,	BUTTER-WORT.		
56.	1. vulgaris,	common.	Britain.	June—July.
57.	2 Lusitanica,	pale.	———	—— ——
	UTRICULARIA,	HOODED-MILFOIL.		
58.	1. vulgaris,	common.	Britain.	July.
59.	2. minor,	lesser.	———	——
	ZIZIPHORA,	ZIZIPHORA.		
60.	acinoides,	Thyme-leaved.	Siberia.	July.
	ANCISTRUM,	ANCISTRUM.		
62.	1. lucidum,	shining.	Falkl. Isl.	May.
63.	2. lævigatum,	smooth.	S. Amer.	May—July.
	COLLINSONIA,	COLLINSONIA.		
64.	Canadensis,	nettle-leaved.	N. Amer.	July—Aug.

ORDER II.

DIGYNIA—2 PISTILS.

	ANTHOXANTHUM,	SPRING-GRASS.		
66.	odoratum,	sweet-scented.	Britain.	May.

CLASS III.

TRIANDRIA—3 STAMENS.

ORDER I.

MONOGYNIA—1 PISTIL.

	VALERIANA,	VALERIAN.		
68.	1. tripteris,	three-leaved.	Switzerl.	April—May.
69.	2. rubra, *var.*	red.	Britain.	May—July.
70.	3. dioica,	diœcious.	———	——— ———
71.	4. montana,	mountain.	Switzerl.	April—May.
72.	5. Pyrenaica,	Pyrenaean.	Pyrenees.	May—June.
73.	6. Phu.	Garden.	Germany.	May—July.
	CROCUS,	CROCUS.		
76.	1. officinalis,	Saffron.	Britain.	Sept.—Oct.
77.	2. ———fl. cær.	———blue.	———	——— ———
78.	3. biflorus,	Scotch.	———	March.
79.	4. aureus,	great-yellow.	———	———
	GLADIOLUS,	CORN-FLAG, or *Sword-Lily.*		
80.	1. communis,	common.	S. Europe.	June—July.
81.	2. Byzantinus,	Turkish.	Turkey.	——— ———
	IRIS,	IRIS, or *Flower-de-luce.*		
83.	1. Susiana,	Chalcedonian.	Levant.	April—May.
84.	2. Florentina,	Florentine.	S. Europe.	May.
85.	3. Germanica,	purple-flowered.	Germany.	———

86.	4. variegata,	variegated.	Hungary.	May—June.
87.	5. lurida,	dingy.	S. Europe.	June.
88.	6. pumila,	dwarf.	Germany.	April.
89.	7. Pseud-Acorus,	yellow.	Britain.	June.
90.	8. fœtidissima, fl. var.	Gladwin, striped.	———	——
91.	9. Sibirica,	Siberian.	Siberia.	May—June.
92.	10. versicolor,	various-coloured.	N. Amer.	June.
93.	11. Virginica,	Virginian.	———	——
94.	12. spuria,	bastard.	Germany.	May—June.
95.	13. graminea,	grass-leaved.	Austria.	—— ——
96.	14. ochroleuca,	pale yellow.	Levant.	July.
97.	15. Sambucina,	elder-scented.	S. Europe.	June.
98.	16. Xiphium,	bulbous-rooted.	Spain.	——
99.	17. Xiphioides,	English-bulbous.	Spain.	——
100.	18. maculata,	spotted.	——	——
101.	19. spathacea,	sheathed.	Cape G. H.	July.
102.	20. Pyrenaica,	Pyrenæan.	Pyrenees.	——
103.	21. acris,	bitter.	Siberia.	
104.	22. squalens,	brown-flowered.	S. Europe.	June.
105.	23. pallida,	pale-flowered.	Levant.	May.
106.	24. flexuosa,	zigzag.	Siberia.	May—June.
107.	25. halophila,	long-leaved.	———	July.
108.	26. aphylla,	naked-stalked.		May—June.
109.	27. Guildanstaditii,	cream-coloured.	Germany.	July.
110.	28. biflora,	two-flowered.	S. Europe.	April—May.

	IXIA,	IXIA.		
112.	Bulbocodium,	Crocus-leaved.	Alps.	March—Apr.

This order includes various kinds of Rushes and Reeds.

ORDER II.

DIGYNIA—2 PISTILS.

	STIPA,	FEATHER-GRASS.		
113.	pennata,	soft.	Britain.	July—Aug.
	ARUNDO,	REED-GRASS.		
115.	colorata,	striped.	Britain.	July.

This order includes Wheat, Barley, Rye, and a great variety of Grasses.

CLASS IV.

TETRANDRIA—4 STAMENS.

ORDER I.

MONOGYNIA—1 PISTIL.

	SCABIOSA,	SCABIOUS.		
116.	1. Alpina,	Alpine.	Switzerl.	June—July.
117.	2. sylvatica,	wood.	———	July—Aug.
118.	3. ochroleuca,	pale-white.	Germany.	—— ——
119.	4. atropurpurea,	sweet.		July—Sept.
	ASPERULA,	WOODROOF.		
121.	1. Taurina,	Italian.	Italy.	April—June.
122.	2. odorata,	sweet-scented.	Britain.	May—June.
	GALIUM,	LADIES' BEDSTRAW.		
124.	1. montanum,	mountain.	Britain.	May—June.
125.	2. sylvaticum,	wood.	S. Europe.	June—July.
	RUBIA,	MADDER.		
126.	1. tinctoria,	dyer's.	S. Europe.	June.
127.	2. peregrina,	wild.	Britain.	June—July.
	PLANTAGO,	PLANTAIN.		
128.	1. major,	great.	Britain.	May—July.
129.	2. lanceolata,	Rib-wort.	———	—— ——

SANGUISORBA, GREAT BURNET.

131.	1. Canadensis,	white-spiked.	Canada.	July—Aug.
132.	2. media,	short-spiked.	———	———

ALCHEMILLA, LADIES' MANTLE.

134.	1. Alpina,	Alpine.	Britain.	June—Aug.
135.	2. vulgaris,	common.	———	———

CORNUS, DOGWOOD.

136.	Suecica,	herbaceous.	Britain.	June.

EPIMEDIUM, BARREN-WORT.

137.	Alpinum,	Alpine.	Britain.	May.

ORDER IV.

TETRAGYNIA—4 PISTILS.

ILEX, HOLLY.

138.	1. Aquifolium,	common.	Britain.	May—June.
139.	2. ————	fol.var.variegated.	———	———
140.	3. ————	ferox, hedgehog.	———	———

CLASS V.

PENTANDRIA—5 STAMENS.

ORDER I.

MONOGYNIA—1 PISTIL.

	ANCHUSA,	BUGLOSS.		
141.	1. sempervirens,	Alkanet.	Britain.	May—Aug.
142.	2. tinctoria,	dyer's.	France.	—— ——
143.	3. angustifolia,	narrow-leaved.	S. Europe.	—— ——
	TRACHELIUM,	THROAT-WORT.		
144.	cæruleum,	blue-flowered.	Italy.	July—Sept.
	CYNOGLOSSUM,	HOUND'S-TONGUE.		
145.	1. Omphalodes,	Comfrey-leaved.	S. Europe.	Mar.—May.
146.	2. sylvaticum,	wood.	Britain.	July.
	PULMONARIA,	LUNG-WORT.		
147.	1. paniculata,	panicled.	Huds.Bay.	May—June.
148.	2. angustifolia,	narrow-leaved.	Europe.	April—May.
149.	3. officinalis,	common.	Britain.	—— ——
	LITHOSPERMUM,	GROMWELL.		
150.	officinale,	officinal.	Britain.	May—June.
	SYMPHYTUM,	COMFREY.		
151.	1. asperrimum,	rough.	Siberia.	June—Aug.
152.	2. officinale coccin.	scarlet.	Britain.	May—June.
153.	3. ——— album,	white.	———	—— ——
	BORAGO,	BORAGE.		
154.	orientalis,	perennial.	Constant.	Mar.—May.

	PRIMULA,	PRIMROSE.		
155.	1. veris,	Cowslip.	Britain.	April—May.
156.	2. vulgaris,	common.	———	—— ——
	var. A.——fl.pl.luteo,double-yellow.			
	B.——fl.pl.purp.double-purple.			
	C.——fl.pl.rubro,double-crimson.			
	D.——fl.pl.incarn.double-blush.			
157.	3. elatior,	Oxlip.	Britain.	April—May.
158.	4. Auricula,	Auricula.	Switzerl.	—— ——
	ZIZIPHUS,	ZIZIPHUS.		
160.	Paliurus,	Christ's Thorn.	S. Europe.	June—July.
	SOLDANELLA,	SOLDANELLA.		
161.	Alpina,	Alpine.	Austria.	April.
	CYCLAMEN,	SOW-BREAD.		
162.	1. Coum,	round-leaved.	S. Europe.	Feb.—Mar.
163.	2. Persicum,	Persian.	Cyprus.	—— ——
164.	3. Hederæfolium,fl.alb.ivy-leaved.		Italy.	Aug.—Sept.
165.	4. ———fl.carn.—blush-flowered.		——	—— ——
	DODECATHEON,	DODECATHEON, or *American Cowslip.*		
166.	Meadia,	Virginian.	S. Amer.	April—June.
	HYDROPHYLLUM,	WATER-LEAF.		
167.	1. Virginicum,	Virginian.	Virginia.	May—June.
168.	2. Canadense,	Canadian.	Canada.	—— ——
	LYSIMACHIA,	LOOSE-STRIFE.		
169.	1. vulgaris,	common.	Britain.	July—Sept.
170.	2. thyrsiflora,	thyrse-flowered.	———	July.
171.	3. quadrifolia,	four-leaved.	N. Amer.	July—Aug.
172.	4. ciliata,	fringed.	———	—— ——
173.	5. Nummularia,	Money-wort.	Britain.	May—Aug.
	AZALEA,	AZALEA.		
174.	1. Pontica,	yellow-flowered.	Pontus.	May—June.

175.	2. nudiflora,	red-flowered.	N. Amer.	May—June.
176.	3. viscosa,	white-flowered.	———	——— ———
	PLUMBAGO,	LEAD-WORT.		
177.	Europæa,	European.	S. Europe.	Oct.
	PHLOX,	LYCHNIDEA.		
178.	1. stolonifera,	creeping.	N. Amer.	May—June.
179.	2. suaveolens,	white-flowered.	———	June—July.
180.	3. paniculata,	panicled.	———	Aug.—Sept.
181.	4. pilosa,	hairy.	———	May—June.
182.	5. ovata,	oval-leaved.	———	——— ———
183.	6. subulata,	awl-shaped.	———	April—May.
	ANAGALLIS,	PIMPERNELL.		
185.	tenella,	creeping.	Britain.	July—Aug.
	CONVOLVULUS,	BIND-WEED.		
186.	1. althæoides,	silky-leaved.	Levant.	June—Aug.
187.	2. soldanella,	sea.	Britain.	July.
	POLEMONIUM,	GREEK-VALERIAN.		
189.	1. cæruleum,	blue.	Britain.	June.
190.	2. ——— fl. albo,	white-flowered.	———	———
191.	3. ——— fol. var.	striped.	———	———
192.	4. reptans,	creeping.	N. Amer.	May.
	PHYTEUMA,	RAMPION.		
193.	1. orbicularis,	round-headed.	Britain.	July—Aug.
194.	2. spicata,	spiked.	Europe.	——— ———
195.	3. comosa,	tufted.	Switzerl.	June—July.
196.	4. canescens,	downy.	Hungary.	July—Aug.
	CAMPANULA,	BELL-FLOWER.		
197.	1. Persicifolia,	peach-leaved.	S. Europe.	July—Sept.
198.	2. ——— fl.alb.pl.	double-white.	———	——— ———

199.	3. Persicifolia,fl.cærul.pl.	double-blue.	S.Europe.	July—Sept.
200.	4. pumila cærulea,	dwarf blue.	Switzerl.	July—Aug.
201.	5. ——— alba,	dwarf white.	———	—— ——
202.	6. pyramidalis,	pyramidal.	Carniola.	July—Sept.
203.	7.Trachelium,fl.alb.pl.	Throat-wort,*dble.white.*	Brit.	July-Aug.
204.	8.———fl.cær.pl.	——— *dble.blue.*	——	—— ——
205.	9. glomerata,	clustered.	Britain.	—— ——
206.	10. latifolia,	broad-leaved.	———	Aug.
207.	11. nitida,	shining.	N. Amer.	July.
208.	12. cernua,	nodding-flowered.	Hungary.	July—Aug.
209.	13. Carpatica,	Carpathian.	Carp.Alps.	—— ——
210.	14. rotundifolia,fl.alb.	round-leaved,*white.*	Britain.	—— ——
211.	15. Medium,	Canterbury.	Germany.	June—Sept.

	LOBELIA,	LOBELIA.		
213.	Cardinalis,	Cardinal's-flower.	Virginia.	July—Oct.
	LONICERA,	HONEY-SUCKLE.		
214.	1. Alpigena,	red-berried.	Switzerl.	April—May.
215.	2. cærulea,	blue-berried.	———	—— ——
216.	3. sempervirens,	trumpet.	N. Amer.	May—Aug.
217.	4. Tartarica,	Tartarian.	Russia.	April—May.
218.	5. Xylosteum,	Fly.	Britain.	July.
	VERBASCUM,	MULLEIN.		
219.	1. Thapsus,	great,orHigh-taper.	Britain.	July—Aug.
220.	2. Lychnites,	white.	———	—— ——
221.	3. Myconi,	borage-leaved.	Pyrenees.	May.
222.	4. Boerhavii,	annual.	S. Europe.	July.

	ATROPA,	ATROPA.		
224.	1. Belladonna,	DeadlyNight-shade.	Britain.	June—Aug.
225.	2. Mandagora,	Mandrake.	Levant.	Mar.—April.

	RHAMNUS,	BUCKTHORN.		
226.	1. catharticus,	purging.	Britain.	May—June.
227.	2. Alaternus,	Alaternus.	S. Europe.	April—June.
	EUONYMUS,	SPINDLE-TREE.		
228.	Americanus,	evergreen.	N. Amer.	June—July.
	HYOSCYAMUS,	HENBANE.		
229.	niger,	common.	Britain.	June—July.
	VIOLA,	VIOLET.		
230.	1. hirta,	hairy.	Britain.	April—May.
231.	2. odorata,	sweet.	———	Mar.—April.
232.	3. ———magna,	fl.cær.great blue.	———	—— ——
233.	4. ———fl.pl.cær.	double blue.	———	—— ——
234.	5. ———fl.pl.albo,	double white.	———	—— ——
235.	6. blanda,	white-flowered.	N. Amer.	June—Aug.
236.	7. palmata,	palmated.	———	May—June.
237.	8. obliqua,	oblique-flowered.	———	—— ——
238.	9. palustris,	marsh.	Britain.	April—May.
239.	10. lactea,	cream-coloured.	———	May.

	SOLANUM,	NIGHT-SHADE.		
241.	Dulcamara,	Bittersweet.	Britain.	June—Aug.
	MENYANTHES,	BUCK-BEAN.		
242.	nymphoides,	waterlily-leaved.	Britain.	July—Sept.
	CLAYTONIA,	CLAYTONIA.		
243.	Sibirica,	Siberian.	Siberia.	May—Aug.
	TRIOSTEUM,	FEVER-WORT.		
244.	perfoliatum,	perfoliate.	N. Amer.	July—Aug.
	TABERNÆMONTANA,	TABERNÆMONTANA.		
245.	Amsonia,	broad-leaved.	N. Amer.	May—June.
	MEUM,	MEUM.		
246.	Athamanticum,	Bawd-money.	Britain.	May—June.

	VINCA,	PERIWINKLE.		
247.	1. major,	greater.	Britain.	May—July.
248.	2. minor,	lesser.	———	———
	PHYSALIS,	WINTER-CHERRY.		
249.	Alkekengi,	common.	S. Europe.	July—Sept.

N. B. This order includes Tobacco, Potatoes, Currant Trees, Vines, Ivy, &c.

ORDER II.

DIGYNIA—2 PISTILS.

	APOCYNUM,	DOG'S BANE.		
251.	Androsæmifolium,	Tutsan-leaved.	N. Amer.	June—Sept.
	SANICULA,	SANICLE.		
252.	Europæa,	wood.	Britain.	May—July.
	ASCLEPIAS,	SWALLOW-WORT.		
253.	1. Syriaca,	Syrian.	N. Amer.	July—Aug.
254.	2. purpurascens,	purple.	———	Aug.—Sept.
255.	3. Vincetoxicum,	officinal.	Europe.	May—Aug.
256.	4. tuberosa,	tuberous-rooted.	N. Amer.	July—Sept.
257.	5. nigra,	dark-flowered.	S. Europe.	June—Aug.
258.	6. decumbens,	decumbent.	N. Amer.	July—Aug.
	SALSOLA,	SALT-WORT.		
259.	7. fruticosa,	shrubby.	Britain.	Aug.
	HERNIARIA,	RUPTURE-WORT.		
260.	glabra,	smooth.	Britain.	July—Aug.
	HEUCHERA,	HEUCHERA.		
261.	Americana,	American.	N. Amer.	May—June.
	GENTIANA,	GENTIAN.		
262.	1. acaulis,	Gentianella.	Alps.	April—May.
263.	2. cruciata,	crosswort.	Austria.	June—July.

264.	3. lutea,	yellow.	Alps.	June—July.
265.	4. Pneumonanthe,	Calathian Violet.	Britain.	Aug.—Sept.
	CHENOPODIUM, GOOSE-FOOT.			
266.	Bonus-Henricus,	English Mercury.	Britain.	May—Aug.
	ERYNGIUM, ERYNGO.			
267.	1. Alpinum,	Alpine.	Switzerl.	June—Aug.
268.	2. ————flor. pl.	———double.	———	—— ——
269.	3. planum,	flat-leaved.	Europe.	July—Sept.
270.	4. campestre,	field.	Britain.	July—Aug.
271.	5. Bourgati,	white-spined.	S. Europe.	June—Aug.
272.	6. maritimum,	Sea-holly.	Britain.	July—Aug.
	HYDROCOTYLE, PENNY-WORT.			
273.	vulgaris,	common.	Britain.	May—June.
	ASTRANTIA, BLACK MASTER-WORT.			
274.	1. major,	great.	Alps.	May—July.
275.	2. minor,	small.	Switzerl.	—— ——
	BUNIUM, EARTH-NUT.			
276.	1. Bulbocastanum,	common.	Europe.	June.
277.	2. flexuosum,	bending-stalked.	Britain.	——
	FERULA, GIANT-FENNEL.			
278.	1. communis,	common.	S. Europe.	June—July.
279.	2. Assafœtida,	stinking.	Persia.	June.
	HERACLEUM, PARSNEP.			
280.	Sphondylium,	common.	Britain.	May—June.
	CRITHMUM, SAMPHIRE			
281.	maritimum,	sea.	Britain.	Aug.—Sept.
	ANGELICA, ANGELICA.			
282.	1. sylvestris,	wild.	Britain.	July—Sept.
283.	2. verticillaris,	whorl-flowered.	Italy.	June—Aug.
	SIUM, WATER-PARSNEP.			
284.	Falcaria,	sickle-leaved.	Europe.	June—Aug.
	SISON, HONE-WORT.			
285.	verticillatum,	whorl-leaved.	Britain.	July—Aug.

	CHÆROPHYLLUM, COW-PARSLEY, or *Wild Chervil.*			
286.	1. hirsutum,	hairy,	Switzerl.	July—Aug.
287.	2. sylvestre,	common.	Britain.	May—June.
	IMPERATORIA, MASTER-WORT.			
288.	Ostruthium,	common.	Britain.	May—June.
	BETA,	BEET.		
289.	vulgaris,	red and green.	S. Europe.	Aug.
	ATHAMANTA,	SPIGNEL.		
290.	Libanotis,	mountain.	Britain.	July—Aug.
	LIGUSTICUM,	LOVAGE.		
291.	Levisticum,	common.	Italy.	June—July.
	PEUCEDANUM,	SULPHUR-WORT.		
292.	officinale,	Hog's Fennel.	Britain.	May—June.

N. B. This Order includes Elm-Tree, Hemlock, Bishop's Weed, Carrots, Parsneps, Parsley, Dill, Carraway, &c.

ORDER III.

TRIGYNIA—3 PISTILS.

	RHUS,	SUMACH.		
293.	1. Vernix, *fl. rub.*	Varnish, *red.*	N. Amer.	July.
294.	2. —— *fl. luteo,*	—— *yellow.*	——	——
	VIBURNUM,	VIBURNUM.		
295.	1. Opulus,	Gelder-Rose.	Britain.	May—June.
296.	2. Tinus,	Laurestine.	S. Europe.	Dec.—Feb.
297.	3. Prunifolium,	Plum-leaved.	N. Amer.	May—June.
	SAMBUCUS,	ELDER.		
298.	Ebulus,	dwarf, or *Dane-wort.*	Britain.	June—July.
	TAMARIX,	TAMARISK.		
299.	1. Gallica,	French.	Britain.	May—Sept.
300.	2. Germanica,	German.	Germany.	June—Sept.

	TELEPHIUM,	ORPINE.		
301.	Imperati,	true.	S. Europe.	June—Sept.

ORDER IV.

TETRAGYNIA—4 PISTILS.

	PARNASSIA,	GRASS OF PARNASSUS.		
303.	palustris,	marsh.	Britain.	July—Aug.

ORDER V.

PENTAGYNIA—5 PISTILS.

	STATICE,	STATICE, or *Thrift.*		
305.	1. Limonium,	Sea-Lavender.	Britain.	May—Aug.
306.	2. Armeria,	common.	———	May—July.
	DROSERA,	SUN-DEW.		
307.	Anglica,	great.	Britain.	July—Aug.
	LINUM,	FLAX.		
308.	1. perenne, *erectum*,	perennial, *upright.*	Britain.	June—Aug.
309.	2. ——— *prostratum*,	——— *trailing.*	———	——— ———
	SIBBALDIA,	SIBBALDIA.		
310.	procumbens,	procumbent.	Britain.	July—Aug.

ORDER VI.

POLYGYNIA—MANY PISTILS.

	ZANTHORHIZA,	YELLOW-ROOT.		
312.	apiifolia,	parsley-leaved.	N. Amer.	Mar.—April.

CLASS VI.

HEXANDRIA—6 STAMENS.

ORDER I.

MONOGYNIA—1 PISTIL.

	TRADESCANTIA, SPIDER-WORT.			
313.	1. Virginica,	Virginian.	N. Amer.	May—Aug.
314.	2. ——cærulescens,	——— blue.	———	———
315.	3. —— flore albo,	——— white.	———	———
316.	4. —— fl. pleno,	——— double.		
	GALANTHUS, SNOW-DROP.			
317.	nivalis,	common.	Britain.	Jan.—Mar.
	LEUCOJUM, SNOW-FLAKE.			
318.	1. vernum,	spring.	Germany.	March.
319.	2. æstivum,	summer.	Britain.	May—June.
	NARCISSUS, NARCISSUS.			
320.	1. poeticus,	poet's.	Britain.	May.
321.	2. —— fl. pl. alb.	double white.	———	———
322.	3. Jonquilla,	Jonquil.	Spain.	Mar.—April.
323.	4. Pseudo-narcissus,	Daffodil.	Britain.	——— ———
324.	5. aurantius	Phœnix, orange Phœnix.		——— ———
325.	6. tradescantus centifolius,	hundred-leaved.		——— ———
326.	7. biflorus,	two-flowered.	Britain.	——— ———
327.	8. sulphureus,	*Zulphur trumpet.*		——— ———
328.	9. nanus,	dwarf.		——— ———

329.	10. major,	great.	Spain.	Mar.—April.
330.	11. Tazetta,	Polyanthus.	——	—— ——
331.	12. Bulbocodium,	Hoop-petticoat.	Portugal.	—— ——

ERYTHRONIUM, ERYTHRONIUM.

332.	1. Dens-canis, fl. albo:	Dog's tooth Violet, white.	Europe.	Mar.
333.	2. ——— fl. purp.	———————	purple.———	——

ALLIUM, GARLIC.

334.	1. descendens,	purple-headed.	Switzerl.	June—July.
335.	2. ampeloprasum,	great-headed.	Britain.	July—Aug.
336.	3. Canadense,	true Onion.	Canada.	June—July.
337.	4. carneum,	flesh-coloured.	S. Europe.	May—June.
338.	5. nutans,	nodding-flowered.	Siberia.	July.
339.	6. Moly, fl. luteo,	great yellow.	S. Europe.	June.
340.	7. ——fl. albo,	great white.	———	——
341.	8. Scorodoprasum,	Rocambole.	Denmark.	June—July.
342.	9. fistulosum,	Welch Onion.	Siberia.	May—July.
343.	10. Schœnoprasum,	Cives, or *Chives*.	Britain.	June.

LILIUM, LILY.

344.	1. rubrum maximum,	great red.		May.
345.	2. superbum,	superb.	N. Amer.	June.
346.	3. Canadense,	Canadian.	———	July—Aug.
347.	4. candidum,	white.	Levant.	June—July.
348.	5. aurantium,	orange.	Italy.	—— ——
349.	6. Chalcedonicum,	scarlet martagon.	Levant.	—— ——
350.	7. Martagon pumila lut.	yellow dwarf Martagon.	Eu.	June-July.
351.	8. ———	Martagon *Koningsrood.*		June—July.
352.	9. ———	——— *rubro magnifique.*		—— ——
353.	10. ———	——— *Romano.*		—— ——
354.	11. ———	——— *groot meester.*		—— ——
355.	12. ———	——— Jason.		—— ——
356.	13. ———	——— *Turk's rood.*		—— ——
357.	14. ———	——— Apollo.		—— ——
358.	15. ———	——— *grand hero.*		—— ——

359.	16.	Martagon	Martagon	*Prince d' Orange.*	June—July.
360.	17.	———	———	*chapeau Orange.*	——— ———
361.	18.	———	———	*groot Vorste.*	——— ———
362.	19.	———	———	Goliah.	——— ———
363.	20.	———	———	*jaune Madonee.*	——— ———
364.	21.	———	———	*aigle d'or.*	——— ———
365.	22.	———	———	*la Tropee.*	——— ———
366.	23.	———	———	*jaune Brillant.*	——— ———
367.	24.	———	———	*pourpre double.*	——— ———
368.	25.	———	———	*jaune couronne.*	——— ———
369.	26.	———	———	Neapolitan,	——— ———
370.	27.	———	———	Grand Duke.	——— ———
371.	28.	———	———	*jaune Drapeau.*	——— ———
372.	29.	———	———	*belle bergere.*	——— ———
373.	30.	———	———	*Koning van Algiers.*	——— ———
374.	31.	———	———	Crown of Jerusalem.	——— ———
375.	32.	———	———	purple-spotted.	——— ———
376.	33.	———	———	white.	——— ———
377.	34.	———	———	double *Bonte.*	——— ———
378.	35.	———	———	*Goude Arende.*	——— ———
379.	36.	Camschatcense,	Kamschatkan.	Kamschatka.	——— ———

FRITILLARIA, FRITILLARY.

380.	1.	Imperialis Chinensis,	Crown Imperial.	China.	Mar.—April.
381.	2.	——— flore luteo,	yellow.	———	———
382.	3.	——— aureo-sulphurino,	orange-sulphur.	———	———
383.	4.	——— rubro-sulphurino,	red-sulphur.	———	———
384.	5.	——— rubro pleno,	double red.	———	———
385.	6.	——— argenteo varieg.	silver striped.	———	———
386.	7.	——— luteo pleno,	double yellow.	———	———
387.	8.	Meleagris,	common.	Britain.	April.

TULIPA, TULIP.

388.	1.	sylvestris,	single yellow.	Britain.	April—May.
389.	2.	suaveolens,	sweet, or *Vah-Tol.*	S. Europe.	May.

390.	3. Gesneriana,	common.	Levant.	April—May.

ORNITHOGALUM, STAR OF BETHLEHEM.

391.	1. umbellatum,	umbel-flowered.	Britain.	April—May.
392.	2. Pyrenaicum,	spike-flowered.	———	June—July.
393.	3. Pyramidale,	Pyramidal.	S. Europe.	—— ——

SCILLA, SQUILL.

395.	1. Italica,	Italian.	S. Europe.	April—July.
396.	2. campanulata,	bell-shaped.	Spain.	May—June.
397.	3. Peruviana,	starry.	———	May.
398.	4. ——— cærul.	blue.	———	——
399.	5. ——— var.	——	———	——
400.	6. nutans,	Hare-bell.	Britain.	May—June.

ASPHODELUS, ASPHODEL.

401.	1. luteus,	yellow.	Sicily.	May—July.
402.	2. ramosus,	King's spear.	S. Europe.	—— ——

ANTHERICUM, ANTHERICUM.

403.	1. Liliastrum,	Savoy Spider-wort.	Switzerl.	May—June.
404.	2. ramosum,	branching.	S. Europe.	—— ——
405.	3. serotinum,	mountain Spider-wort.	Britain.	June.

ASPARAGUS, ASPARAGUS, or *Sperage*.

406	officinalis,	common.	Britain.	June—July.

CONVALLARIA, SOLOMON'S SEAL.

407.	1. Majalis,	Lily of the valley.	Britain.	June.
408.	2. ———flore rubro,	red.	———	——
409.	3. ——— fl. pleno,	double.	———	——
410.	4. Polygonatum fl. pl.	sweet-scented dble.	——	May—June.
411.	5. multiflora,	many-flowered.	———	—— ——
412.	6. verticillata,	whorl-leaved.	———	—— ——
413.	7. stellata,	star-flowered.	N. Amer.	—— ——
414.	8. bifolia,	two-leaved.	N. Europe.	—— ——

	BERBERIS,	BERBERRY, or *Pipperidge Bush.*		
416.	vulgaris,	common.	Britain.	April—May.

	HYACINTHUS, HYACINTH.			
418.	1. plumosus cær.	feathered blue.	S. Europe.	May—June.
419.	2. Muscari,	Musk.	Levant.	April—May.
420.	3. Belgicus fl. albo.	Dutch white.	Holland.	May—June.
421.	4. Botryoides cærul.	blue Grape.	Italy.	April.
422.	5.——purp. major,	great purple.	——	——
423.	6. stellatus Sibiricus,	star-flowered.	Siberia.	——
424.	7. comosus,	purple Grape.	S. Europe.	April—May.

	HEMEROCALLIS, DAY-LILY.			
426.	1. graminea,	grass-leaved.	N. Europe.	June—July.
427.	2. flava,	yellow.	Hungary.	June.
428.	3. fulva,	copper-coloured.	Levant.	June—July.
429.	4. alba,	white.	Japan.	—— ——
430.	5. cærulea,	blue.	———	May—July.
	AMARYLLIS,	AMARYLLIS.		
431.	1. lutea,	yellow.	S. Europe.	Sept.—Oct.
432.	2. Atamasco,	Atamasco Lily.	Virginia.	May—June.
	ACORUS,	ACORUS.		
433.	Calamus,	sweet-flag.	Britain.	June—July.

N. B. To this Order belong Aloes, Pine-Apples, Bamboo-cane, &c.

ORDER II.

DIGYNIA,

Includes Oryza—Rice.

ORDER III.

TRIGYNIA—3 PISTILS.

	COLCHICUM,	MEADOW-SAFFRON.		
437.	1. autumnale	fl. pl. pur. com. dble. purp.	Britain.	Sept.
438.	2. ———	fl. atropurp. dark purple.	———	———
439.	3. ———	fl. albo, single white.	———	———
440.	4. variegatum,	spotted-flowered.	Levant.	———
	HELONIAS,	HELONIAS.		
441.	bullatus.	spear-leaved.	N. Amer.	April—May.
	RUMEX,	DOCK.		
442.	1. sanguineus,	bloody-veined.	Britain.	July.
443.	2. Alpinus,	Monk's Rhubarb.	France.	June—July.
444.	3. Acetosa,	Garden Sorrel.	Britain.	——— ———
	TOFIELDIA,	TOFIELDIA.		
445.	palustris,	Scotch Asphodel.	Britain.	July.

CLASS VII.

HEPTANDRIA—7 STAMENS.

ORDER I.

MONOGYNIA—1 PISTIL.

	ÆSCULUS,	HORSE-CHESNUT.	
447.	1. Hippo-castanum,	common.	N. of Asia. May.
448.	2. Pavia,	red-flowered.	S. Carolina. May—June.
449.	3. flava,	yellow-flowered.	N. Carolina.—— ——
	CALLA,	CALLA.	
450.	Æthiopica,	Ethiopian.	Cape G. H. Feb.—May.

N. B. To this Order belongs Chick-weed.

ORDER IV.

TETRAGYNIA—4 PISTILS.

	SAURURUS,	LIZARD'S-TAIL.	
451.	1. cernuus,	drooping.	N. Amer. Sept.
452.	2. lucidus,	shining.	—— ——

CLASS VIII.

OCTANDRIA—8 STAMENS.

ORDER I.

MONOGYNIA—1 PISTIL.

	OENOTHERA,	TREE PRIMROSE.		
453.	1. fruticosa,	perennial.	N. Amer.	July—Aug.
454.	2. pumila,	dwarf.	———	May—Sept.
	EPILOBIUM,	WILLOW-HERB.		
455.	1. angustissimum,	Rosemary-leaved.	Europe.	July—Aug.
456.	2. hirsutum,	Codlins&Cream.	Britain.	July.
457.	3. roseum,	rose-coloured.	———	———
	ERICA,	HEATH.		
458.	1. vulgaris,	common, or *Ling*.	Britain.	June—Aug.
459.	2. ——— fl. albo,	——— white.	———	——— ———
460.	3. Dabœcia,	Irish.	Cape G. H.	June—July.
461.	4. Mediterranea,	Mediterranean.	S. Europe.	Mar.—May.
462.	5. herbacea,	early dwarf.	Austria.	Feb.—April.
463.	6. Tetralix,	cross-leaved.	Britain.	June—Aug.
464.	7. vagans fl. albo,	Cornish, white.	———	———
465.	8. ——— fl. rubro,	——— red.	———	———
466.	9. cinerea,	grey.	———	July—Aug.

467.	10. stricta,	straight.	Portugal.	May—Sept.
468.	11. ciliaris,	ciliated.	———	July—Sept.
469.	12. carnea,	flesh-coloured.	Britain.	May—Aug.

DAPHNE, DAPHNE.

471.	1. Mezereum fl. purp.	Mezereon, purp.	Britain.	March.
472.	2. ———fl. coccin.	——— scarlet.	———	———
473.	3. ———fl. albo,	——— white.	———	———
474.	4. Alpina,	Alpine.	Austria.	May—June.
476.	5. Laureola,	Spurge-Laurel.	Britain.	Jan.—Mar.

N. B. To this Order belong Myrtillus--Blea-berry, Vitis Idæa--Bilberry, and Oxycoccos--Cranberry; all included under the Genus Vaccinium.

ORDER II.

DIGYNIA—2 PISTILS.

MOERHINGIA, MOERHINGIA.

477.	muscosa,	mossy.	S. Europe.	June—July.

ORDER III.

TRIGYNIA—3 PISTILS.

POLYGONUM, PERSICARIA.

478.	1. Bistorta,	Bistort, or *Snake-weed.*	Britain.	May—Sept.
479.	2. viviparum,	viviparous.	———	——— ———

ORDER IV.

TETRAGYNIA—4 STAMENS.

	PARIS,	**HERB-PARIS,** *True-love,* or *One-berry.*		
481.	quadrifolia,	four-leaved.	Britain.	May—June.
	ADOXA,	**MOSCHATEL.**		
482.	Moschatellina,	tuberous.	Britain.	April—May.

CLASS IX.

ENNEANDRIA—9 STAMENS.

ORDER I.

MONOGYNIA—1 PISTIL.

	LAURUS,	LAUREL.		
485.	1. noblis,	Sweet-bay.	Italy.	April—May.
486.	2. æstivalis,	willow-leaved.	Virginia.	—— ——

ORDER III.

TRIGYNIA—3 PISTILS.

	RHEUM,	RHUBARB.		
488.	1. Rhaponticum,	common.	Asia.	May—June.
489.	2. palmatum,	officinal.	China.	—— ——
490.	3. compactum,	compact.	Tartary.	—— ——
491.	4. dentatum,	indented.	Siberia.	—— ——
492.	5. hybridum,	bastard.	Asia.	—— ——

ORDER VI.

HEXAGYNIA—6 PISTILS.

	BUTOMUS,	FLOWERING-RUSH.		
493.	umbellatus,	umbelled.	Britain.	June—July.

CLASS X.

DECANDRIA—10 STAMENS.

ORDER I.

MONOGYNIA—1 PISTIL.

	PODALYRIA,	PODALYRIA.		
494.	1. Lupinoides,	Lupine.	Kamtschatka.	June—July.
495.	2. alba,	white-flowered.	Virginia	June.
496.	3. Virginica,	Virginian.	N. Amer.	June—July.
	CASSIA,	CASSIA.		
497.	1. Marilandica,	perennial.	N. Amer.	July—Oct.
498.	2. discolor,	two-coloured.	———	—— ——
	DICTAMNUS,	FRAXINELLA.		
499.	1. albus fl. rubro,	common red.	Germany.	June—July.
500.	2. —— fl. albo,	——— white.	———	—— ——
	RUTA,	RUE.		
501.	1. graveolens,	common.	S. Europe.	June—Sept.
502.	2. montana,	mountain.	———	May—Sept.
	KALMIA,	KALMIA.		
503.	1. latifolia,	broad-leaved.	N. Amer.	June—July.
504.	2. angustifolia,	narrow-leaved.	———	—— ——
505.	3. glauca,	glaucous.	Newfoundl.	April—May.
	RHODODENDRON, ROSE-BAY.			
506.	1. ferrugineum,	rusty-leaved.	Switzerl.	May—June.
507.	2. hirsutum,	hairy.	———	—— ——

508.	3. Ponticum,	purple.	Gibraltar.	May—June.
	var. A.——fl. rubro,	red.	———	———
509.	4. maximum,	large.	N. Amer.	June—July.
	ANDROMEDA,	ANDROMEDA.		
510.	1. Polifolia major,	Wild-Rosemary great.	Britain.	July.
	var. A.—— minor,	——— small.	———	———
511.	2. axillaris,	axil-flowering.	N. Amer.	May—Aug.
512.	3. calyculata,	box-leaved.	———	Mar.—Apr.
	ARBUTUS,	STRAWBERRY-TREE.		
513.	1. Unedo,	common.	Britain.	Sept.—Dec.
514.	2. Uva-ursi,	Bear-berry.	———	May—June.
	CLETHRA,	CLETHRA.		
515.	1. alni-folia,	alder-leaved.	N. Amer.	Aug.—Sept.
	var. A.——pubescens,	woolly.	———	———
516.	2. paniculata,	panicled.	———	———
	LEDUM,	LEDUM.		
517.	1. decumbens,	dwarf.	Huds. Bay.	April—May.
518.	2. latifolium,	Labrador-Tea.	Labrador.	May.
519.	3. buxifolium,	box-leaved.	Carolina.	Mar.—April.
	STYRAX,	STORAX.		
520.	officinale,	officinal.	Italy.	July.

ORDER II.

DIGYNIA—2 PISTILS.

	HYDRANGEA,	HYDRANGEA.		
521.	1. arborescens,	Tree.	Virginia.	July—Aug.
522.	2. hortensis,	changeable.	China.	Jan.—Sept.
523.	3. radiata,	rayed.	Carolina.	July—Aug.
	SAXIFRAGA,	SAXIFRAGE.		
524.	1. crassifolia,	thick-leaved.	Siberia.	Mar.—April.
525.	2. Cotyledon,	pyramidal.	Alps of Eu.	May—June.
526.	3. cordifolia.	heart-leaved.	Siberia.	Mar.—April.

527.	4. ligulata,	strap-leaved.	Alps of Eu.	May—June.
528.	5. mutata,	houseleek-leaved.	Switzerl.	June.
529.	6. umbrosa,	London-pride.	Britain.	April—May.
530.	7. aspera,	rough.	Alps of Eu.	Aug.
531.	8. geranioides,	crane's-bill-leaved.	Pyrenees.	April—May.
532.	9. cæspitosa.	tufted.	Britain.	June.
533.	10. hypnoides,	moss.	———	May—June.
534.	11. Geum,	kidney-leaved.	Alps of Eu.	June.

SCLERANTHUS, KNAWEL.

536.	perennis,	perennial.	Britain.	Aug.—Oct.

SAPONARIA, SOAP-WORT.

537.	officinalis,	officinal.	Britain.	July—Oct.

TIARELLA, TIARELLA.

539.	1. cordifolia,	heart-leaved.	N. Amer.	April—May.
540.	2. trifoliata,	three-leaved.	N. of Asia.	

DIANTHUS, PINK.

541.	1. barbatus,	Sweet-William.	Germany.	June—July.
242.	2. Caryophyllus,	Clove.	Britain.	July.
543.	3. Chinensis,	Indian.	China.	July—Sept.
544.	4. Deltoides,	Maiden.	Britain.	July—Aug.
545.	5. superbus,	fringed.	Europe.	July—Sept.

CHRYSOSPLENIUM, GOLDEN SAXIFRAGE.

546.	1. alternifolium,	alternate-leaved.	Britain.	April.
547.	2. oppositifolium,	opposite-leaved.	———	———

ORDER III.

TRIGYNIA—3 PISTILS.

	SILENE,	CATCHFLY.		
549.	1. maritima,	sea.	Britain.	May—Aug.
550.	2. amœna,	pleasant.	Tartary.	—— ——
551.	3. Vallesia,	downy.	Switzerl.	June—Aug.
552.	4. Alpestris,	mountain.	Austria.	May—July.
	CUCUBALUS,	CAMPION.		
554.	1. Behen,	Bladder.	Britain.	May—Sept.
555.	2. Otites,	SpanishCatchfly.	———	July—Aug.
	STELLARIA,	STITCH-WORT.		
556.	nemorum,	wood.	Britain.	May—June.
	ARENARIA,	SAND-WORT.		
557.	Peploides,	Sea Chickweed.	Britain.	May—July.

ORDER V.

PENTAGYNIA—5 PISTILS.

	SEDUM,	STONE-CROP.		
558.	1. hybridum,	bastard.	Siberia.	May—June.
559.	2. sexangulare,	six-angled.	Britain.	June—July.
560.	3. rupestre,	rock.	———	July.
561.	4. reflexum,	reflex-leaved.	———	——
562.	5. Telephium.	common Orpine.	———	July—Sept.
563.	6. Anacampseros,	evergréenOrpine.	S.Europe.	—— ——
564.	7. Anglicum,	English.	Britain.	June—Aug.
565.	8. album,	white.	———	June—July.

566.	9. populifolium,	poplar-leaved.	Siberia.	July—Aug.
567.	10. Aizoon,	Orange-flowered.	———	June—July.
568.	11. virens,	green.	Portugal.	—— ——

OXALIS, WOOD-SORREL.

570.	1. violacea,	violet.	N. Amer.	May—June.
571.	2. stricta,	upright.	———	June—Aug.
572.	3. corniculata,	procumbent.	Britain.	May—Oct.
573.	4. Acetosella,	common.	———	April—May.

AGROSTEMMA, ROSE-CAMPION.

574.	1. coronaria fl. pl.	common, double.	Italy.	June—Sept.
575.	2. Flos-Jovis,	umbelled.	Switzerl.	July.

LYCHNIS, LYCHNIS.

576.	1. Chalcedonica,	scarlet.	Russia.	June—July.
577.	2. viscaria,	viscid.	Britain.	May—June.
578.	3. ——— fl. pl.	—— double.	———	—— ——
579.	4. dioica fl. pl.	double red.	———	June—Sept.
580.	5. Flos Cuculi fl. pl.	Ragged Robin, double.		June—July.
581.	6. ——— fl. albo,	——— white.		—— ——

CERASTIUM, MOUSE-EAR CHICK-WEED.

583.	1. repens,	creeping.	S. Europe.	May—June.
584.	2. tomentosum,	woolly.	———	June—July.
585.	3. dioicum,	diœcious.	Spain.	July.
586.	4. Alpinum,	Alpine.	———	June—July.

	COTYLEDON,	NAVEL-WORT.		
588.	Umbilicus,	Wall.	Britain.	June—July.
589.	2. lutea,	yellow.	———	June.
	SPERGULA,	SPURREY.		
590.	1. nodosa,	knotted.	Britain.	July—Aug.
951.	2. Saginoides,	Pearl-wort.	———	June.

CLASS XI.

DODECANDRIA—FROM 12 TO 19 STAMENS.

ORDER I.

MONOGYNIA—1 PISTIL.

	ASARUM,	ASARABACCA.		
595.	1. Canadense,	Canadian.	Canada.	April—June.
596.	2. Europæum,	European.	Britain.	May.
	LYTHRUM,	LYTHRUM.		
597.	1. Salicaria,	common.	Britain.	July—Aug.
598.	2. virgatum,	slender.	Austria.	—— ——

ORDER II.

DIGYNIA—2 PISTILS.

	AGRIMONIA,	AGRIMONY.		
600.	1. Eupatoria,	common.	Britain.	June—July.
601.	2. odorata,	sweet-scented.	Italy.	—— ——
602.	3. repens,	creeping-rooted.	Levant.	July—Sept.
603.	4. Agrimonoides,	three-leaved.	Italy.	June—July.

ORDER III.

TRIGYNIA—3 PISTILS.

	EUPHORBIA,	SPURGE.		
604.	1. corallioides,	coral-stalked.	Sicily.	June—Aug.
605.	2. Cyparissias,	Cypress.	Britain.	May—Aug.
606.	3. esula,	gromwell-leaved.	———	July.
	RESEDA,	RESEDA.		
608.	lutea,	Base Rocket.	Britain.	July—Aug.

ORDER VI.

DODECAGYNIA—ABOUT 12 PISTILS.

	SEMPERVIVUM,	HOUSE-LEEK.		
609.	1. globiferum,	globular.	Europe.	June—July.
610.	2. montanum,	mountain.	Italy.	—— ——
611.	3. sediforme,	stonecrop-leaved.	S. Europe.	July.
612.	4. Tectorum,	common.	Britain.	July—Sept.

CLASS XII.

ICOSANDRIA—20 STAMENS, OR MORE,

inserted into the calyx, and commonly forming a kind of ring.

ORDER I.

MONOGYNIA—1 PISTIL.

PHILADELPHUS, SYRINGA.

613.	1. coronarius fol. var. common, varieg.		S. Europe.	May—June.
614.	2. nanus,	dwarf.	———	———

AMYGDALUS, ALMOND.

615.	nana,	dwarf.	Tartary.	Mar.—April.

PRUNUS, CHERRY-TREE.

616.	1. Cerasus fl. pl.	cultivated, dble-flowering.	Britain.	April.
617.	2. Lusitanica,	Portugal Laurel.	S. Europe.	June.

N. B. This Genus includes the Laurel, the Plum, and the Sloe.

ORDER II.

DIGYNIA—2 PISTILS.

CRATÆGUS, HAWTHORN.

618.	1. torminalis,	Wild-service.	Britain.	May—June.
619.	2. coccinea,	scarlet-flowered.	N. Amer.	April—May.

ORDER III.

TRIGYNIA—3 PISTILS.

	SORBUS,	SERVICE-TREE.		
620.	domestica,	true, or *Sorb.*	Britain.	May—June.

N. B. Mountain-Ash is of this Genus.

ORDER V.

PENTAGYNIA—5 PISTILS.

	MESPILUS,	MESPILUS.		
621.	1. Germanica,	common Medlar.	Britain.	June.
622.	2. Canadensis,	snowy.	N. Amer.	April—May.
623.	3. Pyracantha,	Evergreen Thorn.	S. Europe.	May.
	SPIRÆA,	SPIRÆA.		
624.	1. Aruncus,	Goat's-beard.	Austria.	June—July.
625.	2. Filipendula,	Drop-wort.	Britain.	June—Aug.
626.	3. ——— fl. pl.	———double.	———	——— ———
627.	4. Ulmaria fl. pl.	Meadow-sweet, dble.	———	——— ———
628.	5. ———fol. var.	———varieg. leaves.	———	——— ———
629.	6. trifoliata,	three-leaved.	N. Amer.	June—July.
630.	7. lobata,	lobe-leaved.	Siberia.	July—Aug.
631.	8. tomentosa,	woolly.	N. Amer.	Aug.—Sept.

N. B. To this Order belong Apples, Pears, Quinces, &c.

ORDER VI.

POLYGYNIA—MANY PISTILS.

	ROSA,	**ROSE.**		
633.	1. lutea,	single yellow.	Italy.	June.
634.	2. sulphurea,	double yellow.	Levant.	July.
635.	3. spinosissima,	Scotch.	Britain.	June—July.
636.	4. Pimpinellifolia,	Burnet-leaved.	S. Europe.	May—June.
637.	5. serotina,	late-flowering.	N. Amer.	July—Sept.
638.	6. Portlandica,	Portland.		May—June.
639.	7. Provincialis,	Provence.	S. Europe.	June—Aug.
640.	8. ——— fl. albo,	unique.	———	—— ——
641.	9. nana,	Pompone.	———	—— ——
642.	10. centifolia,	hundred-leaved.	———	—— ——
643.	11. damascena,	damask.	———	—— ——
644.	12. muscosa,	moss.	———	—— ——
645.	13. parvifolia,	Burgundy.	———	—— ——
646.	14. sempervirens,	evergreen.	Germany.	—— ——
647.	15. turbinata,	Frankfort.	Europe.	—— ——
648.	16. Eglanteria,	sweet-brier.	Britain.	—— ——
649.	17. menstrua,	monthly.	S. Europe.	—— ——

	FRAGARIA,	**STRAWBERRY.**		
651.	1. elatior,	Hautboy.	America.	May—June.
652.	2. Virginiana,	scarlet.	Virginia.	—— ——
653.	3. grandiflora,	Pine.	S. Amer.	—— ——

	POTENTILLA,	**CINQUEFOIL.**		
655.	1. tridentata,	three-toothed.	Newfoundl.	July.

656.	2. fragarioides,	strawberry-leaved.	Siberia.	May—June.
657.	3. Austriaca,	Austrian.	Austria.	May—July.

	GEUM,	AVENS, or *Herb Bennet.*		
659.	1. rivale,	water.	Britain.	July.
660.	2. hybridum,	bastard.	Europe.	June—July.

	CALYCANTHUS, ALL-SPICE.			
662.	floridus,	Carolina.	Carolina.	May—July.
	RUBUS,	BRAMBLE.		
663.	Arcticus,	dwarf.	Britain.	June—July.
	TORMENTILLA,	TORMENTIL, or *Septfoil.*		
664.	erecta,	common.	Britain.	June—July.

CLASS XIII.

POLYANDRIA—MANY STAMENS,

inserted into the Receptacle, or Base of the Flower.

ORDER I.

MONOGYNIA—1 PISTIL.

	PODOPHYLLUM, DUCK'S-FOOT, or *May Apple.*			
665.	peltatum,	peltated.	N. Amer.	May.
	CHELIDONIUM, CELANDINE.			
666.	majus fl. pl.	great, double.	Britain.	April—July.
	PAPAVER,	POPPY.		
667.	1. orientale,	eastern.	Levant.	May—June.
668.	2. nudicaule,	nalked-stalked.	Siberia.	June—July.
669.	3. Cambricum,	Welch.	Britain.	May—Aug.
	ACTÆA,	HERB-CHRISTOPHER.		
670.	1. racemosa,	Black Snake-root.	N. Amer.	June—July.
671.	2. spicata,	Bane-berry.	Britain.	May—June.
	CISTUS,	CISTUS, or *Rock-Rose.*		
672.	1. Ladaniferus,	Gum.	Spain.	June—July.
673.	2. salvifolius,	sage-leaved.	S. Europe.	July.
674.	3. Creticus,	Cretan.	Levant.	July—Aug.
675.	4. Helianthemum,	dwarf.	Britain.	—— ——

SANGUINARIA, PUCCOON.

676.	Canadensis,	Canadian.	N. Amer.	Mar.—April.

N. B. To this Order belong Tea, Lime-Tree, and Water-Lily.

ORDER II.

DIGYNIA—2 PISTILS.

PÆONIA, PÆONY.

677.	1.officinalis fem.fl.rub.pl.officin.fem.*dble red.*		Switz.	May-June.
678.	2.——— fl.albo pl.———	*dble white.*	——	——
679.	3.——mascula fl.rub.pl.——male,	*dble red.*	——	——
680.	4.——— fl. incarn.	—— light red.		
681.	5. peregrina,	crimson-flowered.	Levant.	——
682.	6. tenuifolia,	fine-leaved.	Siberia.	——
683.	7. corallina,	broad-leaved.	Britain.	——
684.	8. Daurica,	Dauric.	Dauria.	——

ORDER III.

TRIGYNIA—3 PISTILS.

DELPHINIUM, LARKSPUR.

686.	1. elatum,	Bee.	Siberia.	June—Aug.
687.	2.grandiflorum fl.pl.	large flowered, *dble.*	——	——
688.	3. exaltatum,	American.	N. Amer.	——
689.	4. intermedium,	palmated.	Siberia.	——
690.	5. pyramidatum,	pyramidal.		——
691.	6. azureum,	azure.	N. Amer.	——

ACONITUM, WOLF'S-BANE.

692.	1. Lycoctonum,	great yellow.	Alps.	July—Aug.

693.	2. Japonicum,	Japan.	Japan.	June—Sept.
695.	3. Cammarum,	purple.	Germany.	June—Aug.
695.	4. uncinatum,	hook-seeded.	N. Amer.	—— ——
696.	5. variegatum,	variegated.	S. Europe.	—— ——
697.	6. Napellus,	Monk's-hood.	Europe.	May—July.
698.	7. album,	white-flowered.	Levant.	July.
699.	8. orientale,	Eastern.	———	July—Aug.
700.	9. Pyrenaicum,	Pyrenean.	Pyrenees.	June—July.

ORDER IV.

TETRAGYNIA—4 PISTILS.

CIMICIFUGA, BUG-WORT.

701.	fœtida,	stinking.	Siberia.	June.

ORDER V.

PENTAGYNIA—5 PISTILS.

AQUILEGIA, COLUMBINE.

702.	1. Sibirica,	Siberian.	Siberia.	May—June.
703.	2. vulgaris, fl. pl.	common, *dble.*	Britain.	—— ——

ORDER VI.

HEXAGYNIA—6 PISTILS.

STRATIOTES, WATER SOLDIER.

705.	Aloides,	Aloe-leaved.	Britain.	June—July.

ORDER VII.

POLYGYNIA—MANY PISTILS.

	LIRIODENDRON, TULIP TREE.			
706.	Tulipifera,	common.	N. Amer.	June—July.
	MAGNOLIA, MAGNOLIA.			
707.	1. grandiflora,	laurel-leaved.	N. Amer.	June—Aug.
708.	2. glauca,	swamp.	———	—— ——
709.	3. tripetala,	Umbrella.	———	—— ——
	ANEMONE, ANEMONE, or *Wind-flower*.			
710.	1. Hepatica cærul.	Hepatica, blue.	Switzerl.	March.
711.	2. ——— fl.pl.	——— dble blue.	———	———
712.	3. ——— rub. fl.pl.	——— dble red.	———	———
713.	4. ——— alba,	——— white.	———	———
714.	5. Pulsatilla,	Pasque-flower.	Britain.	April—May.
715.	6. nemorosa,	wood.	———	—— ——
	ADONIS, ADONIS, or *Pheasant's Eye*.			
716.	vernalis,	spring.	Europe.	Mar.—April.
	CLEMATIS, VIRGIN'S-BOWER.			
717.	1. recta,	upright.	Austria.	June—Aug.
718.	2. integrifolia,	entire-leaved.	———	—— ——
719.	3. Virginiana,	Virginian.	N. Amer.	—— ——
720.	4. Flammula,	sweet-scented.	S. Europe.	—— ——
721.	5. Vitalba,	Traveller's joy.	Britain.	July—Aug.
	THALICTRUM, MEADOW-RUE.			
722.	1. flavum,	yellow.	Britain.	May—July.
723.	2. aquilegifolium,	columbine-leaved.	Austria.	—— ——
724.	3. ——— viride,	——— green.	———	—— ——
725.	4. majus,	great.	Britain.	—— ——
726.	5. minus,	small.	———	—— ——
727.	6. tuberosum,	tuberous.	Spain.	June.
728.	7. simplex,	simple-stalked.	Sweden.	May—July.
729.	8. angustifolium,	narrow-leaved.	Germany.	June—July.

	RANUNCULUS,	CROW-FOOT.		
730.	1. Aconitifolius,	Aconite-leaved.	Alps of Eu.	May—June.
731.	2. Asiaticus,	Garden.	Levant.	May—June.
732.	3. Ficaria,	Pile-wort.	Britain.	April.
733.	4. Lingua,	great Spear-wort.	———	June—Aug.
	TROLLIUS,	GLOBE-FLOWER.		
734.	1. Europæus,	European.	Britain.	May—June.
735.	2. Asiaticus,	Asiatic.	Siberia.	June.
	HELLEBORUS,	HELLEBORE,		
736.	1. Hyemalis,	Winter Aconite.	Austria.	Feb.—Mar.
737.	2. niger,	Christmas-Rose.	———	Jan.—Mar.
738.	3. fœtidus,	Bear's Foot.	Britain.	March.
	CALTHA,	MARSH-MARYGOLD.		
739.	palustris fl. pl.	common, double.	Britain.	April.

CLASS XIV.

DIDYNAMIA—4 STAMENS,

of which 2 are long and 2 short.

ORDER I.

GYMNOSPERMIA—WITH NAKED SEEDS,

almost always 4 in number.

	TEUCRIUM,	GERMANDER.		
741.	1. lucidum,	shining.	S. Europe.	June—Sept.
742.	2. multiflorum,	many-flowered.	Spain.	July—Sept.
743.	3. Chamædrys,	wall.	Britain.	July—Aug.
744.	4. Canadense,	nettle-leaved.	N. Amer.	Aug.—Sept.
745.	5. Marum,	Cat-Thyme.	Spain.	July—Sept.
	SATUREJA,	SAVOURY.		
746.	montana,	winter.	S. Europe.	May—June.
	AJUGA,	BUGLE.		
747.	reptans,	common.	Britain.	May.
	HYSSOPUS,	HYSSOP.		
748.	officinalis,	officinal.	S. Europe.	June—Sept.
	GLECOMA,	GROUND-IVY.		
749.	Hederacea,	common.	Britain.	Mar.—May.

	NEPETA,	CAT-MINT.		
750.	1. Cataria,	common.	Britain.	July—Sept.
751.	2. violacea,	violet-coloured.	Europe.	—— ——
	GALEOBDOLON,	YELLOW DEAD NETTLE.		
752.	luteum,	perennial.	Britain.	May—June.
	LAVANDULA,	LAVENDER.		
753.	Spica,	common.	S. Europe.	July—Sept.
	SIDERITIS,	IRON-WORT.		
754.	Scordioides,	crenate.	France.	Aug.
	BALLOTA,	STINKING HOREHOUND.		
755.	nigra,	black.	Britain.	July—Aug.
	MENTHA,	MINT.		
756.	1. rotundifolia,	round-leaved.	Britain.	July—Aug.
757.	2. variegata,	variegated.	———	Aug.
758.	3. Pulegium,	Pennyroyal.	———	Aug.—Sept.
	LAMIUM,	ARCHANGEL.		
759.	1. Garganicum,	woolly.	Spain.	July.
760.	2. maculatum,	spotted-leaved.	Italy.	——
761.	3. rugosum,	rough.	——	——
762.	4. album,	white.	Britain.	May—June.
	BETONICA,	BETONY.		
763.	1. stricta,	upright.	Denmark.	June—July.
764.	2. Orientalis,	Eastern.	Levant.	—— ——
765.	3. incana,	hoary.	Italy.	—— ——
766.	4. Alopecurus,	Fox-tail.	S. Europe.	July.
767.	5. grandiflora,	great-flowered.	Siberia.	June—July.
768.	6. officinalis,	wood.	Britain.	July—Aug.
	STACHYS,	HEDGE-NETTLE, or *Wound-wort.*		
769.	1. lanata,	woolly.	Siberia.	June—Sept.
770.	2. sylvatica,	wood.	Britain.	July—Aug.
	MARRUBIUM,	HOREHOUND.		
771.	vulgare,	common.	Britain.	June—Sept.

	LEONURUS,	MOTHER-WORT.		
772.	Cardiaca,	common.	Britain.	July.
	PHLOMIS,	PHLOMIS,		
773.	1. tuberosa,	tuberous-rooted.	Siberia.	June—Oct.
774.	2. fruticosa,	Jerusalem Sage.	Spain.	June—July.
	ORIGANUM,	MARJORAM.		
775.	vulgare,	common.	Britain.	June—Sept.
	CLINOPODIUM,	WILD BASIL.		
776.	vulgare,	common.	Britain.	July—Aug.
	THYMUS,	THYME,		
777.	1. Serpyllum,	wild, or *Mother of Thyme*.	Britain.	June—Aug.
	var. A. citratum,	Lemon Thyme.	———	—— ——
778.	2. vulgaris,	common.	S. Europe.	May—Aug.
779.	3. Calamintha,	Calamint.	Britain.	Aug.
	MELISSA,	BALM.		
780.	1. officinalis,	common.	S. Europe.	June—Oct.
781.	2. grandiflora,	great-flowered.	Alps of Eu.	—— ——
	MELITTIS,	BASTARD-BALM.		
782.	1. Melissophyllum,	common.	Britain.	May—June.
783.	2. grandiflora,	great-flowered.	———	—— ——
	DRACOCEPHALUM,	DRAGON'S HEAD.		
784.	1. Virginianum,	Virginian.	N. Amer.	July—Sept.
785.	2. denticulatum,	tooth-leaved.	———	Aug.
786.	3. Sibiricum,	Siberian.	Siberia.	June—Aug.
	SCUTELLARIA,	SCULL-CAP.		
788.	1. lupulina,	great-flowered.	Siberia.	June—Sept.
789.	2. galericulata,	common.	Britain.	—— ——
	PRUNELLA,	SELF-HEAL.		
790.	1. grandiflora,	great-flowered.	Austria.	July—Sept.

791.	2. laciniata,	jagged-leaved.	Germany.	July—Sept.
792.	3. latifolia,	broad-leaved.	——	——

ORDER II.

ANGIOSPERMIA,

With numerous seeds inclosed in a Capsule.

	CHELONE,	CHELONE.		
794.	1. obliqua,	red-flowered.	N. Amer.	Aug.—Oct.
795.	2. ruellioides,	Ruellia.	Str. of Magellan.	Aug.—Sept.
	BARTSIA,	BARTSIA.		
796.	Alpina,	Alpine.	Britain.	July.
	ANTIRRHINUM,	SNAP-DRAGON, or *Toad-flax.*		
797.	1. Linaria,	common yellow.	Britain.	June—July.
798.	2. ——— Peloria,	bastard.	———	—— ——
799.	3. purpureum,	purple.	Italy.	June—Sept.
800.	4. repens,	creeping-rooted.	Britain.	July—Sept.
801.	5. genistifolium,	broom-leaved.	Austria.	July—Aug.
	LATHRÆA,	TOOTH-WORT.		
802.	squamaria,	greater.	Britain.	April.
	DIGITALIS,	FOX-GLOVE.		
803.	1. purpurea,	purple.	Britain.	June—July.
804.	2. ferruginea,	iron-coloured.	Italy.	June—Aug.
	SCROPHULARIA,	FIG-WORT.		
805.	nodosa,	knotty-rooted.	Britain.	May—July.
	BIGNONIA,	TRUMPET-FLOWER.		
806.	1. Catalpa,	Catalpa.	S.Carolina.	July—Aug.
807.	2. radicans,	ash-leaved.	N. Amer.	—— ——

	LINNÆA,	LINNÆA.		
808.	Borealis,	two-flowered.	Britain.	May—June.
	ACANTHUS,	ACANTHUS, or *Bear's-breech.*		
809.	1. mollis,	soft.	S. Europe.	July—Sept.
810.	2. spinosus,	spiny.	Italy.	—— ——
811.	3. spinosissimus,	very spiny.		—— ——
	OROBANCHE,	BROOM RAPE.		
812.	cærulea,	blue.	Britain.	July.

CLASS XV.

TETRADYNAMIA—6 STAMENS,

of which 4 are long and 2 short.

ORDER I.

SILICULOSA—

Fruit contained in a round Pod or Pouch.

	MYAGRUM,	GOLD OF PLEASURE.		
813.	1. perenne,	perennial.	Germany.	July.
814.	2. saxatile,	rock.	Austria.	June—July.
	COCHLEARIA,	SCURVY-GRASS.		
815.	1. Anglica,	English.	Britain.	May—June.
816.	2. Armoracia,	Horse-radish.	———	———
	ALYSSUM,	MADWORT.		
817.	1. saxatile,	rock.	Crete.	April—May.
818.	2. Deltoideum,	purple-flowered.	Levant.	Mar.—May.
819.	3. sinuatum.	scollop-leaved.	Spain.	April—June.
	LUNARIA,	HONESTY.		
820.	rediviva,	perennial.	Europe.	May—June.
	IBERIS,	CANDY-TUFT.		
821.	sempervirens,	evergreen.	Italy.	April—June.

N. B. To this Order belong Crambe—Cole-wort, Isatis—Woad, Lepidum—Pepper-wort, Thlapsi—Bastard-Cress, &c. &c.

ORDER II.

SILIQUOSA—

Fruit contained in a long Pod.

	CARDAMINE,	LADY'S-SMOCK.		
822.	pratensis,	Cuckow-flower.	Britain.	April—May.
	ERYSIMUM,	HEDGE-MUSTARD.		
823.	1. Alliaria,	Sauce-alone.	Britain.	May.
824.	2. Barbarea,	Winter-Cress.	———	——
	CHEIRANTHUS,	STOCK.		
825.	1. Cheiri,	Wall-flower.	Britain.	May—June.
	*var.*A.——fl.lut.pl.	———dble yellow.——		—— ——
826.	2. incanus,	Brompton.	———	June—Nov.
	HESPERIS,	ROCKET.		
827.	1.matronalis fl.alb.pl.	Dame's Violet, dble white.	Italy.	May-Aug.
828.	2. ———fl.pur.pl.	————dble purple.	—— ——	——
829.	3. ———fl.luteo pl.	————dble yellow.	—— ——	——
	BRASSICA,	CABBAGE.		
830.	polymorpha,	various-leaved.	Siberia.	July.
	DENTARIA,	CORAL-WORT, or *Tooth-wort.*		
831.	bulbifera,	bulb-bearing.	Britain.	April—May.

N. B. This Order includes Turneps, Water-Cresses, Wall-Cresses, Mustard, &c.

CLASS XVI.

MONADELPHIA—

Stamens united by their filaments into one tube.

ORDER TRIANDRIA—3 STAMENS.

SISYRINCHIUM, SISYRINCHIUM.

833.	1. Bermudianum,	Bermudian.	Bermudas.	May—June.
834.	2. anceps,	grass-leaved.	Virginia.	June—July.

ORDER PENTANDRIA—5 STAMENS.

PASSIFLORA, PASSION-FLOWER.

835.	cærulea,	blue-flowered.	Brasil.	June—Oct.

ERODIUM, HERON'S BILL, or *Stork's Bill.*

836.	maritimum,	sea.	Britain.	May—July.

ORDER DECANDRIA—10 STAMENS.

GERANIUM, CRANE'S-BILL.

837.	1. macrorhizum,	long-rooted.	Italy.	May—June.
838.	2. Phæum,	dark-flowered.	Britain.	April—June.
839.	3. nodosum,	knotty.	———	May—Aug.
840.	4. striatum,	striated.	Italy.	—— ——

841.	5. pratense,	meadow.	Britain.	June—July.
842.	6. ——— fl. pl.	——— double.	———	—— ——
843.	7. angulatum,	angular-stalked.		—— ——
844.	8. Lancastriense,	Lancashire.	Britain.	June—Aug.
845.	9. sanguineum,	bloody.	———	—— ——
846.	10. Phœnicium,	Phœnician.	Levant.	—— ——
847.	11. fuscum,	brown.	S. Europe.	May—June.
848.	12. reflexum,	reflex-corolled.	Italy.	April—June.
849.	13. maculatum,	spotted.	N. Amer.	May—July.
850.	14. variegatum,	variegated.	Pyrenees.	July—Sept.
851.	15. sylvaticum,	wood.	Britain.	June—July.

ORDER POLYANDRIA—MANY STAMENS.

	ALTHÆA,	MARSH-MALLOW.		
852.	1. officinalis,	officinal.	Britain.	July—Sept.
853.	2. rosea,	Hollyhock.	China.	—— ——
	MALVA,	MALLOW.		
855.	1. moschata,	Musk.	Britain.	July—Sept.
856.	2. ——— alba,	—— white.	———	—— ——
	CAMELLIA,	CAMELLIA.		
857.	Japonica,	Japan-rose.	Japan.	Feb.—May.
	LAVATERA,	LAVATERA.		
858.	Thuringiaca,	large-flowered.	Germany.	July—Sept.
	HIBISCUS,	HIBISCUS.		
859.	1. incanus,	hoary.	Carolina.	June—July.
860.	2. palustris,	marsh.	N. Amer.	July—Aug.
861.	3. Syriacus,	Althæa-frutex,	Syria.	Aug.—Sept.

CLASS XVII.

DIADELPHIA—

Stamens united into two bundles, occasionally united at their bases.

ORDER HEXANDRIA—6 STAMENS.

	FUMARIA,	FUMITORY.		
863.	1. solida (bulbosa),	solid-rooted.	Britain.	Mar.—April.
864.	2. lutea,	yellow.	———	April—Oct.
865.	3. claviculata,	climbing.	———	June—July.
866.	4. formosa,	red-flowered.	Canada.	May—June.

ORDER OCTANDRIA—8 STAMENS.

	POLYGALA,	MILK-WORT.		
868.	1. vulgaris,	common.	Britain.	May—June.
869.	2. Chamæbuxus,	Box-leaved.	Austria.	——— ———

ORDER DECANDRIA—10 STAMENS.

	SPARTIUM,	BROOM,		
870.	1. Junceum,	Spanish.	S. Europe.	July—Sept.

871. 2. multiflorum,	Portugal-white.	Portugal.	May—June.
GENISTA,	GENISTA.		
872. 1. candicans,	Evergreen Cytisus.	S. Europe.	April—June.
873. 2. tinctoria,	Dyer's.	Britain.	July—Aug.
ONONIS,	REST-HARROW.		
874. 1. antiquorum,	tall.	S. Europe.	June—July.
875. 2. repens,	creeping.	Britain.	—— ——
ANTHYLLIS,	KIDNEY-VETCH.		
876. Vulneraria,	common.	Britain.	May—July.
LUPINUS,	LUPINE.		
877. 1. perennis,	perennial.	N. Amer.	May—July.
878. 2. Nootkatensis,	Nootka Sound.	Nootka Sound.	—— ——
PISUM,	PEA.		
879. maritimum,	sea.	Britain.	July.
OROBUS,	BITTER-VETCH.		
880. 1. tuberosus,	tuberous.	Britain.	May—June.
881. 2. Lathyroides,	Lathyrus.	Siberia.	June.
882. 3. vernus,	spring.	N. Europe.	Mar.— April.
HIPPOCREPIS,	HORSE-SHOE-VETCH.		
883. comosa,	tufted.	Britain.	April—June.
LATHYRUS,	LATHYRUS.		
884. 1. palustris,	marsh.	Britain.	July—Aug.
885. 2. latifolius,	Everlasting Pea.	———	July—Sept.
VICIA,	VETCH.		
886. 1. sylvatica,	small wood.	Britain.	July—Aug.
887. 2. Cracca,	tufted.	———	June—July.
CYTISUS,	CYTISUS.		
888. 1. Laburnum,	Laburnum.	Switzerl.	May.
889. 2. sessilifolius,	common.	Italy.	May—June.
ROBINIA,	ROBINIA.		
890. 1. Pseud-Acacia,	False-Acacia.	N. Amer.	May—June.
var. A. Virginica,	Virginian.	Virginia.	—— ——
891. 2. Caragana,	Caragana.	Siberia.	April—May.

892.	hispida,	Rose Acacia,	Siberia.	May—Sept.
	COLUTEA,	BLADDER SENNA.		
893.	1. arborescens,	common.	S. Europe.	June—Aug.
894.	2. cruenta,	red-flowered.	Levant.	June—July.
895.	3. Pocockii,	Pocock's.	———	May—Oct.
	GLYCYRRHIZA,	LIQUORICE.		
896.	1. echinata,	prickly-capsuled.	Italy.	June—Aug.
897.	2. glabra,	common.	S. Europe.	July.
	CORONILLA,	CORONILLA.		
898.	1. Emerus,	Scorpion Senna.	Europe.	April—June.
899.	2. varia,	various-coloured.	S. Europe.	July—Nov.
	GALEGA,	GOAT'S RUE.		
900.	1. officinalis,	officinal.	S. Europe.	June—Aug.
801.	2. ———fl. albo,	——— white.	———	——— ———
	ASTRAGALUS,	MILK-VETCH,		
902.	1. Cicer,	bladder-podded.	Europe.	June—July.
903.	2. virescens,	green-flowered.	Siberia.	June—Aug.
904.	3. glycyphyllus,	Wild Liquorice.	Britain.	June.
	TRIFOLIUM,	TREFOIL.		
905.	1. repens,	Dutch Clover.	Britain.	May—Sept.
906.	2. rubens,	long-spiked.	S. Europe.	June—Sept.
907.	3. montanum,	mountain.	Europe.	July.
908.	4. Olympicum,	Olympian.	Greece.	June.
	TRIGONELLA,	FENUGREEK.		
909.	Ruthenica,	Russian.	Siberia.	July—Aug.
	MEDICAGO,	MEDICK.		
910.	1. falcata,	yellow.	Britain.	June—July.
911.	2. sativa,	Lucern.	———	——— ———
	LOLUS,	BIRD'S-FOOT TREFOIL.		
912.	corniculatus,	common.	Britain.	June—Aug.

N. B. Of this Order is Ulex—Furze.

CLASS XVIII.

POLYADELPHIA—

Stamens united into many Bundles.

ORDER POLYANDRIA—MANY STAMENS.

HYPERICUM, SAINT JOHN'S-WORT.

913.	1. dubium,	imperforate.	Britain.	July—Aug.
914.	2. macrocarpum,	long-capsuled.	N. Amer.	June—Sept.
915.	3. perforatum,	perforated.	Britain.	July—Aug.
916.	4. Androsæmum,	Tutsan.	———	June—Sept.
917.	5. hircinum,	stinking.	S. Europe.	July—Aug.
918.	6. pulchrum,	upright.	Britain.	July.

N. B. To this Class belong Lemon-Tree, and Orange-Tree.

CLASS XIX.

SYNGENESIA—

Stamens united by their anthers, forming a cylinder;—sometimes also united by their filaments.—Flowers compound.

ORDER I.

POLYGAMIA ÆQUALIS—

Having perfect hermaphrodite florets, furnished with Stamens and Pistils.

	CATANANCHE, CATANANCHE.			
921.	cærulea,	blue-flowered.	S. Europe.	July—Sept.
	SCORZONERA, VIPER'S GRASS.			
922.	Hispanica,	common.	Spain.	June—Sept.
	CARLINA, CARLINE.			
923.	vulgaris,	common.	Britain.	June.
	LACTUCA, LETTUCE.			
924.	perennis,	perennial.	Europe.	June—Aug.
	PRENANTHES, PRENANTHES.			
925.	1. purpurea,	purple-flowered.	S. Europe.	July—Sept.
926.	2. muralis,	wall.	Britain.	July.

	HIERACIUM,	HAWKWEED.		
927.	1. aurantiacum,	orange.	Austria.	June—July.
928.	2. umbellatum,	umbelled.	Britain.	Aug.—Sept.
	HYPOCHÆRIS,	CAT'S EAR.		
929.	1. maculata,	spotted-leaved.	Britain.	June—July.
930.	2. radicata,	long-rooted.	———	June—Aug.
	SERRATULA,	SAW-WORT.		
931.	1. tinctoria,	common.	Britain.	Aug.—Oct.
932.	2. spicata,	spiked.		Sept.—Oct.
	CARDUUS,	THISTLE.		
933.	1. heterophyllus,	melancholy.	Britain.	July—Aug,
934.	2. pratensis,	meadow.	———	June.
	CACALIA,	CACALIA.		
935.	1. suaveolens,	sweet-scented.	N. Amer.	Aug.—Oct.
936.	2. atriplicifolia,	Orache-leaved.	———	———
	PICRIS,	OX-TONGUE.		
937.	Hieracioides,	Hawkweed.	Britain.	July—Aug.
	EUPATORIUM,	EUPATORIUM.		
938.	1. Cannabinum,	Hemp Agrimony.	Britain.	Aug.—Oct.
939.	2. altissimum,	tall.	N. Amer.	Sept.—Oct.
940.	3. purpureum,	purple-stalked.	———	———
941.	4. aromaticum,	aromatic.	———	July—Aug.
942.	5. ageratoides,	nettle-leaved.	———	Aug.—Oct.
	CICHORIUM,	SUCCORY.		
943.	Intybus,	Wild.	Britain.	July—Aug.
	CHRYSOCOMA,	GOLDILOCKS.		
944.	Linosyris,	flax-leaved.	Europe.	Sept.—Oct.
	SANTOLINA,	LAVENDER COTTON.		
945.	1. Chamæ-Cyparissus,	common.	S. Europe.	July.
946.	2. Rosmarinifolia,	Rosemary-leaved.	———	July—Sept.

N. B. To this Order belong Goat's Beard, Sow-Thistle, Dandelion, Hawk's-Beard, Swine's-Succory, Nipple-wort, Burdock, Cotton-Thistle, Artichoke, and Bur-Marygold.

ORDER II.

POLYGAMIA SUPERFLUA—

Florets of the disk having stamens and pistil, those of the radius (or border) having only a pistil, but both producing seeds.

	TANACETUM, TANSY.			
948.	vulgare,	common.	Britain.	Aug.
	ARTEMISIA, WORMWOOD.			
949.	1. Absinthium,	common.	Britain.	July—Sept.
950.	2. vulgaris,	Mug-wort.	———	Aug.—Sept.
	*var.*A. fol. var.	———varieg.	———	——— ———
951.	3. Abrotanum,	Southernwood.	S. Europe.	May—Sept.
952.	4. Pontica,	Roman.	Italy.	Aug.—Sept.
953.	5. rupestris,	rock.	Siberia.	Aug.
954.	6 cærulescens,	blueish.	Britain.	———
	GNAPHALIUM, EVERLASTING, or *Cud-weed.*			
955.	1. Margaritaceum,	Pearl.	Britain.	July—Sept.
956.	2. dioicum,	diœcious.	———	May—June.
957.	3. plantagineum,	plantain-leaved.	N. Amer.	June—July.
958.	4. rectum,	upright.	Britain.	Aug.
	TUSSILAGO, COLT'S-FOOT.			
958.	1. Alpina,	Alpine.	Austria.	May.
959.	2. alba,	white-flowered.	Europe.	Feb.—Mar.
960.	3. Farfara,	common.	Britain.	Mar.—April.
	SENECIO, GROUNDSEL.			
961.	1. abrotanifolius,	southernwood-leaved.	Austria.	July—Aug.
962.	2. elegans,	elegant.	Cape G.H.	June—Oct.
963.	3. Jacobæa,	Ragwort.	Britain.	July—Aug.
	ASTER, STARWORT.			
964.	1. Novæ-Angliæ,	New England.	N. Amer.	Aug.—Sept.
965.	2. ——— var.	———*variety.*———	———	———
966.	3. ——— var.	———*anoth.var.*———	———	———

967.	4. corymbosus,	corymbose.	N. Amer.	Sept.
968.	5. puniceus,	red-stalked.	———	July—Oct.
969.	6. lævis,	smooth.	———	Sept.
970.	7. Tradescanti,	Tradescant's.	———	Aug.—Sept.
971.	8. umbellatus,	umbel-flowered.	———	—— ——
972.	9. mutabilis,	changeable.	———	Sept.
973.	10. Alpinus,	Alpine.	Alps of Eu.	July—Aug.
974.	11. Tripolium,	sea.	Britain.	Aug.—Sept.
975.	12. diffusus,	diffuse.	N. Amer.	Sept.
976.	13. salicifolius,	willow-leaved.	———	Oct.
977.	14. miser,	small-flowered.	———	Sept.
978.	15. præcox,	early-flowering.	———	July—Aug.
979.	16. flexuosus,	Zigzag.	———	Oct.
980.	17. junceus,	rush-stalked.	———	——
981.	18. recurviflorus,	recurved.	———	Aug.—Sept.
982.	19. divergens,	downy-stalked.	———	Sept.
983.	20. ericoides,	heath-leaved.	———	Sept.—Oct.
984.	21. multiflorus,	many-flowered.	———	—— ——
985.	22. æstivus,	summer.	Labrador.	July—Aug.
986.	23. speciosus,	large purple.	N. Amer.	Sept.
987.	24. fragilis,	brittle.	———	——
688.	25. albus,	white-flowered.	———	Aug.—Sept.
989.	26. spectabilis,	shewy.	———	—— ——
990.	27. tardiflorus,	spear-leaved.	———	—— ——
991.	28. dumosus,	bushy.	———	Sept.—Oct.
992.	29. rigidus,	rigid.	———	Aug.—Sept.
993.	30. patens,	spreading.	———	—— ——
994.	31. paniculatus,	panicled.	———	Sept.
995.	32. macrophyllus,	large-leaved.	———	July—Aug.
996.	33. cordifolius,	heart-leaved.	———	Aug.—Sept.
997.	34. longifolius,	long-leaved.	———	Oct.
998.	35. elegans,	elegant.	———	Aug.—Oct.
999.	36. altissimus,	tall.	———	July—Oct.

1000.	37. divaricatus,	divaricated.	N. Amer.	Sept.
1001.	38. purpureus,	purple.	———	——

	SOLIDAGO,	GOLDEN-ROD.		
1004.	1. Canadensis,	Canadian.	N. Amer.	July—Sept.
1005.	2. lateriflora,	lateral-flowered.	———	Aug.—Sept.
1006.	3. cæsia,	Maryland.	———	Sept.
1007.	4. latifolia,	broad-leaved.	———	Aug.
1008.	5. ambigua,	angular-stalked.	———	July—Aug.
1009.	6. sempervirens,	narrow-leaved.	———	Sept.—Oct.
1010.	7. rigida,	rigid.	———	Sept.
1011.	8. rugosa,	wrinkled.	———	Aug.—Sept.
1012.	9. flexicaulis,	bending-stalked.	———	Sept.
1013.	10. stricta,	upright.	———	——
1014.	11. reflexa,	reflex-leaved.	———	Aug.—Sept.
1015.	12. Mexicana,	thick-leaved.	———	July—Aug.
1016.	13. lævigata,	smooth.	———	Oct.—Nov.
1017.	14. arguta,	sharp-notched.	———	July—Aug.
1018.	15. lanceolata,	spear-leaved.	———	Oct.
1019.	16. Virgaurea,	common.	Britain.	July—Aug.
1020.	17. Cambrica,	Welsh.	———	—— ——
	CINERARIA,	CINERARIA.		
1021.	1. palustris,	Marsh Flea-wort.	Britain.	June—July.
1022.	2. integrifolia,	Mountain Flea-wort.	——	—— ——
1023.	3. maritima,	Sea Rag-wort.	S. Europe.	July—Sept.
	INULA,	INULA.		
1024.	1. Helenium,	Elecampane.	Britain.	July—Aug.
1025.	2. dysenterica,	Middle Flea-bane.	———	Aug.—Sept.
1026.	3. crithmoides,	Golden Samphire.	———	—— ——

	DORONICUM, LEOPARD'S-BANE			
1027.	1. plantagineum,	plantain-leaved.	S. Europe.	May—June.
1028.	2. Pardalianches,	great.	Britain.	—— ——
	HELENIUM, HELENIUM.			
1029.	autumnale,	smooth.	N. Amer.	Aug.—Oct.
	BELLIS, DAISY.			
1030.	perennis,	common.	Britain.	Mar.—Aug.
	CHRYSANTHEMUM, CHRYSANTHEMUM.			
1031.	1. Leucanthemum,	Ox-eye Daisy.	Britain.	June—July.
1032.	2. tenuifolium,	slender-leaved.		Sept.—Oct.
1033.	3. Alpinum,	Alpine.	Silesia.	—— ——
1034.	4. Indicum,	Indian.	China.	Sept.—Nov.
	PYRETHRUM, FEVERFEW.			
1035.	1. Parthenium,	common.	Britain.	June—July.
1036.	2. maritimum,	sea.	———	July—Aug.
	BOLTONIA, BOLTONIA.			
1037.	asteroides,	starwort.	S. Amer.	Aug.—Oct.
	ANTHEMIS, CHAMOMILE.			
1038.	1. nobilis,	common.	Britain.	July—Aug.
1039.	2. tinctoria,	yellow.	———	June—Oct.
	ACHILLEA, MILFOIL.			
1040.	1. Ageratum,	Sweet Maudlin.	S. Europe.	Aug.—Oct.
1041.	2. Ptarmica, fl. pl.	Sneezewort, dble.	Britain.	July—Sept.
1042.	3. Græca,	Grecian.	Greece.	
1043.	4. Millefolium, fl. pur.	yarrow, purple.	Britain.	June—Oct.
1044.	5. nobilis,	strong-scented.	Europe.	June—Aug.
	ERIGERON, ERIGERON, or *Flea-bane.*			
1045.	1. acre,	blue.	Britain.	July—Aug.
1046.	2. Alpinum,	Alpine.	———	—— ——
	BUPHTHALMUM, OX-EYE.			
1047.	1. grandiflorum,	great-flowered.	Austria.	June—Oct.
1048.	2. Helianthoides,	sunflower-leaved.	N. Amer.	July—Oct.

CONYZA, FLEA-BANE.

1049.	1. squarrosa,	Plowman's Spikenard.	Britain.	July—Aug.
1050.	2. linifolia,	flax-leaved.	N. Amer.	Aug.—Sept.

ORDER III.

POLYGAMIA FRUSTRANEA—

Florets of the disk having stamens and pistil, and producing seeds, those of the radius barren, having either an abortive pistil, or none at all.

HELIANTHUS, SUN-FLOWER.

1051.	1. altissimus,	tall.	N. Amer.	Sept.—Oct.
1052.	2. giganteus,	gigantic.	———	———
1053.	3. decapetalus,	ten-petalled.	Canada.	Aug.—Nov.
1054.	4. strumosus,	carrot-rooted.	———	Sept.—Oct.
1055.	5. divaricatus,	divaricated.	N. Amer.	Aug.—Sept.
1056.	6. multiflorus,	many-flowered.	———	Aug.—Oct.
1057.	7. tuberosus,	Jerusalem Artichoke.	Brasil.	Sept.—Oct.

RUDBECKIA, RUDBECKIA.

1058.	1. laciniata,	jagged-leaved.	N. Amer.	Aug.—Sept.
1059.	2. purpurea,	purple.	———	July—Oct.

COREOPSIS, TICK-SEED SUNFLOWER.

1060.	1. verticillata,	whorl-leaved.	N. Amer.	July—Oct.
1061.	2. tripteris,	three-leaved.	———	Aug.—Sept.
1062.	3. aurea,	golden.	———	———
1063.	4. procera,	tall.	———	Sept.—Oct.
1064.	5. auriculata,	ear-leaved.	———	Aug.—Sept.

CENTAUREA, CENTAURY.

1065.	1. Centaureum,	great.	Italy.	July—Aug.
1066.	2. montana,	mountain.	Austria.	June—Aug.
1067.	3. scabiosa,	greater.	Britain.	July—Aug.

1068.	4. Orientalis,	Eastern.	Siberia.	July—Aug.
1069.	5. Jacea, fl. albo,	Knapweed, white.	Britain.	—— ——
1070.	6. nigra, fl. pur.	——black, purple-flowered.		June—Aug.
	var. A.——fl. albo,	————white-flowered.		—— ——
1071.	7. glastifolia,	Woad-leaved.	Siberia.	—— ——
1072.	8. Isnardi,	Jersey Star-thistle.	Jersey.	July—Aug.

ORDER IV.

POLYGAMIA NECESSARIA—

The male florets in the disk; the female ones in the radius; the seeds produced only in the latter.

SILPHIUM, SILPHIUM.

1073.	1. perfoliatum,	perfoliate.	N. Amer.	July—Oct.
1074.	2. trifoliatum,	three-leaved.	————	—— ——
1075.	3. connatum,	connate.	————	—— ——
1076.	4. Asteriscus,	hairy-stalked.	————	—— ——

PARTHENIUM, PARTHENIUM.

1077.	integrifolium,	entire-leaved.	Virginia.	June—Oct.

N. B. To this Order belongs Calendula—Marygold.

ORDER V.

POLYGAMIA SEGREGATA—

Where several flowers having united anthers, with a proper calyx, are included in one common calyx.

ECHINOPS, GLOBE THISTLE.

1079.	1. sphærocephalus,	great.	Austria.	July—Aug.
1080.	2. Ritro,	small.	Europe.	July—Sept.

CLASS XX.

GYNANDRIA—

The Stamens grow out of, or are united with, the pistil, either in the style or the germen.

ORDER I.

MONANDRIA—HAVING 1 STAMEN.

	ORCHIS,	ORCHIS.		
1081.	1. bifolia,	Butterfly.	Britain.	May—June.
1082.	2. maculata,	spotted.	———	May.
1083.	3. pyramidalis,	pyramidal.	———	July.
1084.	4. mascula,	male.	———	May—June.
1085.	5. Morio,	female.	———	——— ———
	SATYRIUM,	SATYRION.		
1086.	1. hircinum,	Lizard.	Britain.	June—July.
1087.	2. viride,	Frog.	———	——— ———
	OPHRYS,	OPHRYS.		
1088.	1. Nidus-avis,	Bird's-nest.	Britain.	May.
1089.	2. spiralis,	Ladies'-traces.	———	Aug.
1090.	3. ovata,	Tway-blade.	———	May—June.
1091.	4. muscifera,	Fly.	———	——— ———

SERAPIAS, HELLEBORINE.

1092. latifolia, broad-leaved. Britain. July—Aug.

ORDER II.

DIANDRIA—HAVING 2 STAMENS.

CYPRIPEDIUM, LADIES' SLIPPER.

1093. Calceolus, common. Britain. May—June.

ORDER VI.

HEXANDRIA—6 STAMENS.

ARISTOLOCHIA, BIRTH-WORT.

1094. Clematitis, common. Britain. May—July.

CLASS XXI.

MONŒCIA—

Male flowers and female flowers separate, but on the same plant.

ORDER III.

TRIANDRIA—3 STAMENS.

	TYPHA,	CAT'S-TAIL, or *Reed-Mace.*		
1095.	1. latifolia,	broad-leaved.	Britain.	June—July.
1096.	2. angustifolia,	narrow-leaved.	———	—— ——

N. B. To this Order belong Sparganium—Bur-Reed, and Carex—Sedge.

ORDER IV.

TETRANDIA—4 STAMENS.

	BUXUS,	BOX-TREE.		
1097.	sempervirens,	common.	Britain.	April.
	MORUS,	MULBERRY.		
1098.	1. alba,	white.	China.	June.
1099.	2. nigra,	common.	Italy.	——

	AUCUBA,	AUCUBA, or *Gold-Plant.*		
1100.	Japonica,	blotch-leaved.	Japan.	May—July.

N. B. This Order includes the Birch-tree, and the Nettle.

ORDER VII.

POLYANDRIA—MANY STAMENS.

	ARUM,	ARUM.		
1101.	1. maculatum,	spotted, or Wake-Robin.	Britain.	June—July.
1102.	2. tenuifolium,	slender-leaved.	S. Europe.	April—May.
1103.	3. Dracunculus,	common Dragon.	———	June—July.
1104.	4. Arisarum,	Friar's-cowl.	S. Europe.	April—May.
	POTERIUM,	BURNET.		
1105.	Sanguisorba,	common.	Britain.	July.
	JUGLANS,	WALNUT, or *Hickery-Tree.*		
1106.	regia,	common.	Persia.	April—May.
	FAGUS,	BEECH-TREE.		
1107.	ferruginea,	rusty-leaved.	N. Amer.	July—Aug.

N. B. This Order includes Oak, Hazel, Plane-Tree, and Hornbeam-Tree.

ORDER MONADELPHIA—

Stamens united in one bundle.

	PINUS,	PINE, or *Fir-Tree.*		
1108.	1. Cedrus,	Cedar of Lebanon.	M. Libanus.	May.
1109.	2. Pinea,	Stone.	S. Europe.	May—June.
1110.	3. Balsamea,	Balm of Gilead.	N. Amer.	May.
1111.	4. Canadensis,	Hemlock Spruce.	———	——

	THUJA,	ARBOR-VITÆ.		
1112.	1. Occidentalis,	American.	Canada.	May.
1113.	2. Orientalis,	China.	China.	——
	CUPRESSUS,	CYPRESS.		
1114.	sempervirens,	common.	Crete.	May.
1115.	Thyoides,	Arbor-vitæ-leaved.	N. Amer.	April—May.
	BRYONIA,	BRYONY.		
1116.	dioica,	common.	Britain.	May—July.

N. B. This Order includes Cucumbers, Gourds, &c.

CLASS XXII.

DIŒCIA—

Male Flowers and female Flowers separate, and on different plants.

ORDER DIANDRIA—2 STAMENS.

	SALIX,	WILLOW.		
1117.	1. Babylonica,	weeping.	Levant.	April—May.
1118.	2. Rosmarinifolia,	Rosemary-leaved.	Britain.	—— ——

ORDER TRIANDRIA—3 STAMENS.

	EMPETRUM,	CROW-BERRY, or *Crake-Berry.*		
1120.	nigrum,	black-fruited.	Britain.	May.

ORDER TETRANDRIA—4 STAMENS.

	VISCUM,	MISSELTOE.		
1121.	album,	common.	Britain.	May.
	HIPPOPHAE,	SEA BUCKTHORN.		
1122.	1. Rhamnoides,	common.	Britain.	April—May.
1123.	2. Canadensis,	oval-leaved.	Canada.	—— ——
	MYRICA,	MYRICA, or *Candle-berry Myrtle.*		
1124.	1. Gale,	Sweet Gale.	Britain.	May.
1125.	2. filicifolia,	fern-leaved.		——

ORDER PENTANDRIA—5 STAMENS.

ZANTHOXYLUM, TOOTH-ACH TREE.

1128. Clava Herculis, common. N. Amer. Mar.—April.

HUMULUS, HOP.

1129. Lupulus, common. Britain. June—July.

N. B. This Order includes Spinach, and Hemp,

ORDER HEXANDRIA—6 STAMENS.

TAMUS, BLACK BRYONY.

1132. communis, common. Britain. May—Aug.

SMILAX, SMILAX.

1133. 1. aspera, rough Bindweed. S. Europe. Sept.

1134. 2. Sarsaparilla, medicinal. N. Amer. July—Aug.

ORDER OCTANDRIA—8 STAMENS.

POPULUS, POPLAR-TREE.

1136. Balsamifera, Tacamahac. N. Amer. March.

RHODIOLA, ROSE-ROOT.

1138. Rosea, common. Britain. May—June.

ORDER ENNEANDRIA—9 STAMENS.

MERCURIALIS, MERCURY.

1139. perennis, perennial. Britain. May—Aug.

HYDROCHARIS, HYDROCHARIS.

1140. Morsus-Ranæ, Frog-bit. Britain. June.

ORDER DODECANDRIA—12 TO 19 STAMENS.

MENISPERMUM, MOON-SEED.

1141.	1. Canadense,	Canadian.	N. Amer.	June—July.
1142.	2. Virginicum,	Virginian.	Virginia.	July.

ORDER MONADELPHIA—

Stamens united by their filaments.

JUNIPERUS, JUNIPER.

1145.	1. Thurifera,	Spanish.	S. Europe.	May—June.
1146.	2. Sabina,	Savin.	———	———
1147.	3. communis,	common.	Britain.	———
1148.	4. Suecica,	Swedish.	N. Europe.	———
1149.	5. Virginiana,	Red Cedar.	N. Amer.	———

TAXUS, YEW-TREE.

1150.	baccata,	common.	Britain.	Feb.—April.

RUSCUS, BUTCHER'S BROOM.

1151.	1. aculeatus,	prickly.	Britain.	Jan.—June.
1152.	2. racemosus,	Alexandrian Laurel.	Portugal.	June.
1153.	3. Hypoglossum,	double-leaved.	S. Europe.	April—May.
1154.	4. Hypophyllum,	broad-leaved.	Italy.	May—June.

CLASS XXIII.

POLYGAMIA—

Having hermaphrodite flowers, and at the same time male flowers and female flowers.—In the Order Monœcia, these different kinds of flowers are all on one plant; in the Order Diœcia, they are on two separate plants; and in the Order Triœcia, they are on three separate plants.

ORDER I.

MONŒCIA—

The flowers on one plant.

	VERATRUM,	VERATRUM.		
1159.	1. album,	White Hellebore.	Europe.	June—Aug.
1160.	2. nigrum,	black-flowered.	Austria.	June—July.
1161.	3. viride,	green-flowered.	N. Amer.	July—Aug.
1162.	4. luteum,	yellow-flowered.	———	———
	ANDROPOGON,	ANDROPOGON, or *Man's Beard.*		
1163.	Gryllus,	purple-spiked.	S. Europe.	July.
	HOLCUS,	HOLCUS, or *Indian Millet.*		
1164.	1. mollis,	soft.	Britain.	July.
1165.	2. lanatus,	woolly.	———	June.
1166.	3. odoratus,	sweet.	Canada.	June—July.

	VALANTIA,	CROSS-WORT.		
1167.	1. glabra,	smooth.	Europe.	July.
1168.	2. cruciata,	common.	Britain.	May.
	PARIETARIA,	PELLITORY.		
1169.	officinalis,	officinal.	Britain.	June—Sept.
	ATRIPLEX,	ORACHE.		
1170.	Portulacoides,	small-shrubby.	Britain.	July—Aug.
	CELTIS,	NETTLE-TREE.		
1171.	Australis,	European.	S. Europe.	May.

N. B. To this Order belong the Maple-Tree, and the Sycamore.

ORDER II.

DIŒCIA—

The flowers on two separate plants.

	FRAXINUS,	ASH-TREE.		
1173.	1. Ornus,	flowering.	Italy.	May—June.
1174.	2. rotundifolia,	Manna.	——	April—May.
	DIOSPYROS,	DATE PLUM.		
1175.	Lotus,	European.	Italy.	June—July.
	PANAX,	PANAX.		
1176.	quinquefolia,	Ginseng.	China. N. Amer.	June.

ORDER III.

TRIŒCIA—

The flowers on three separate plants.

	FICUS,	FIG-TREE.		
1178.	Carica,	common.	S. Europe.	June—July.

CLASS XXIV.

CRYPTOGAMIA—

Neither stamens nor pistils distinctly visible.

ORDER I.

FILICES—FERNS:

Having the fructification disposed sometimes on the backs of the leaves, sometimes on their summits, and occasionally near the roots.

	EQUISETUM, HORSE-TAIL.			
1179.	1. sylvaticum,	wood.	Britain.	April—May.
1180.	2. arvense,	corn.	———	Mar.—April.
1181.	3. palustre,	marsh.	———	June—July.
1182.	4. hyemale,	Shave-grass.	———	July—Aug.
	ONOCLEA, ONOCLEA.			
1183.	sensibilis,	Sensitive Fern.	N. Amer.	Aug.
	OPHIOGLOSSUM, ADDER'S-TONGUE.			
1184.	vulgatum,	common.	Britain.	May—June.
	OSMUNDA, OSMUNDA.			
1185.	1. Lunaria,	Moon-wort.	Britain.	May.
1186.	2. Regalis,	Flowering-Fern.	———	July—Aug.
1187.	3. Spicant,	rough Spleen-wort.	———	July
1188.	4. crispa,	curled, or *Stone-Fern.*	———	Aug.
1189.	5. Struthiopteris,	Bird's-nest.	Europe.	July—Aug.
	LYCOPODIUM, CLUB-MOSS.			
1190.	1. clavatum,	common.	Britain.	July—Aug.

1191.	2. selaginoides,	prickly.	Britain.	Aug.
1192.	3. Alpinum,	Savin-leaved.	———	———
1193.	4. Selago,	Fir.	———	June—Aug.

ACROSTICHUM, ACROSTICHUM.

1194.	1. Septentrionale,	forked Fern.	Britain.	Aug.
1195.	2. Ilvense,	hairy.	———	July—Aug.

PTERIS, BRAKE.

1196.	aquilina,	common.	Britain.	Aug.

ASPLENIUM, SPLEEN-WORT.

1197.	1. Scolopendrium,	Hart's-tongue.	Britain.	July—Aug.
1198.	2. Ceterach,	common.	———	May—Sept.
1199.	3. Ruta-muraria,	Wall-rue.	———	June—Aug.

POLYPODIUM, POLYPODY.

1200.	1. Thelypteris,	marsh.	Britain.	Aug.
1201.	2. vulgare,	common.	———	June—Sept.
1202.	3. Cambricum,	Welsh.	———	——— ———
1203.	4. Phegopteris,	wood.	———	June—July.
1204.	5. Dryopteris,	branching.	———	June—Sept.

ADIANTUM, MAIDEN-HAIR.

1205.	Capillus-Veneris,	true.	Britain.	May—June.

HYMENOPHYLLUM, HARE'S-FOOT-FERN.

1206.	Tunbridgense,	filmy-leaved.	Britain.	May—June.

CYATHEA, CUP-FERN.

1207.	1. fragilis,	brittle.	Britain.	June—July.
1208.	2. regia,	laciniated.	———	June.

N. B. To this Class Linnæus referred the Order of Palms, which are now found referable to the VI, XXI, or XXII Class.

The following are the other Orders of this Class.

Order II. Musci--Mosses--Having separate leaves and a calyptra, which bears the style, and is often covered with a lid.

Order III. Hepaticæ--Liver-worts--Having the frond, that is the leaf and stem united, the capsules of which open by several valves through where the pollen is thrown.

Order IV. Algæ--Flags. The herb of this Order is also a frond, of a pulverulent or filamentous nature, having dry and fibrous branches. The fructification is either imbedded in the disk or in the substance.

Order V. Fungi--Mushrooms.--Vegetables of a fleshy, spongy, or coriaceous substance, having no leaves. The seed consists of roundish globules full of small grains, which globules are sometimes found in the exterior, and sometimes in the interior of the plant.

INDEX

OF

GENERIC NAMES.

	Class.	Page.
Acanthus	xiv	51
Achillea	xix	65
Aconitum	xiii	43
Acorus	vi	23
Acrostichum	xxiv	79
Actæa	xiii	42
Adiantum	xxiv	79
Adonis	xiii	45
Adoxa	viii	28
Æsculus	vii	25
Agrimonia	xi	36
Agrostemma	x	34
Ajuga	xiv	47
Alchemilla	iv	9
Allium	vi	20
Althæa	xvi	55
Alyssum	xv	52
Amaryllis	vi	23
Amygdalus	xii	38
Anagallis	v	12
Anchusa	v	10
Ancistrum	ii	4
Andromeda	x	31
Andropogon	xxiii	76
Anemone	xiii	45
Angelica	v	16
Anthemis	xix	65
Anthericum	vi	22
Anthoxanthum	ii	4
Anthyllis	xvii	57
Antirrhinum	xiv	50
Apocynum	v	15
Aquilegia	xiii	44
Arbutus	x	31
Arenaria	x	33
Aristolochia	xx	69
Artemisia	xix	62
Arum	xxi	71
Arundo	iii	7
Asarum	xi	36
Asclepias	v	15
Asparagus	vi	22
Asperula	iv	8
Asphodelus	vi	22
Asplenium	xxiv	79
Aster	xix	62
Astragalus	xvii	58
Astrantia	v	16
Athamanta	v	17
Atriplex	xxiii	77
Atropa	v	13
Aucuba	xxi	71
Azalea	v	11
Ballota	xiv	48
Bartsia	xiv	50
Bellis	xix	65
Berberis	vi	23
Beta	v	17
Betonica	xiv	48
Bignonia	xiv	50
Boltonia	xix	65
Borago	v	10
Brassica	xv	53
Bryonia	xxi	72

	Class.	Page.
Bunium	v	16
Buphthalmum	xix	65
Butomus	ix	29
Buxus	xxi	70
Cacalia	xix	61
Calla	vii	25
Caltha	xiii	46
Calycanthus	xii	41
Camellia	xvi	55
Campanula	v	12
Cardamine	xv	53
Carduus	xix	61
Carlina	xix	60
Cassia	x	30
Catananche	xix	60
Celtis	xxiii	77
Centaurea	xix	66
Cerastium	x	34
Chærophyllum	v	17
Cheiranthus	xv	53
Chelidonium	xiii	42
Chelone	xiv	50
Chenopodium	v	16
Chionanthus	ii	2
Chrysanthemum	xix	65
Chrysocoma	xix	61
Chrysosplenium	x	32
Cichorium	xix	61
Cimicifuga	xiii	44
Cineraria	xix	64
Circæa	ii	2
Cistus	xiii	42
Claytonia	v	14
Clematis	xiii	45
Clethra	x	31
Clinopodium	xiv	49
Cochlearia	xv	52
Colchicum	vi	24
Collinsonia	ii	4
Colutea	xvii	58
Convallaria	vi	22
Convolvulus	v	12
Conyza	xix	66
Coreopsis	xix	66
Cornus	iv	9
Coronilla	xvii	58
Cotyledon	x	35
Cratægus	xii	38
Crithmum	v	16
Crocus	iii	5
Cucubalus	x	33
Cunila	iii	3
Cupressus	xxi	72
Cyathea	xxiv	79
Cyclamen	v	11
Cynoglossum	v	10
Cypripedium	xx	69
Cytisus	xvii	57
Daphne	viii	27
Delphinium	xiii	43
Dentaria	xv	53
Dianthus	x	32
Dictamnus	x	30
Digitalis	xiv	50
Diospyros	xxiii	77
Dodecatheon	v	11
Doronicum	xix	65
Dracocephalum	xiv	49
Drosera	v	18
Echinops	xix	67
Empetrum	xxii	73
Epilobium	viii	26
Epimedium	iv	9
Equisetum	xxiv	78
Erica	viii	26
Erigeron	xix	65
Erodium	xvi	54
Eryngium	v	16
Erysimum	xv	53
Erythronium	vi	20
Euonymus	v	14
Eupatorium	xix	61
Euphorbia	xi	37
Fagus	xxi	71
Ferula	v	16
Ficus	xxiii	77

	Class.	Page.
Fragaria	xii	40
Fraxinus	xxiii	77
Fritillaria	vi	21
Fumaria	xvii	56
Galanthus	vi	19
Galega	xvii	58
Galeobdolon	xiv	48
Galium	iv	8
Genista	xvii	57
Gentiana	v	15
Geranium	xvi	54
Geum	xii	41
Gladiolus	iii	5
Glecoma	xiv	47
Glycyrrhiza	xvii	58
Gnaphalium	xix	62
Gratiola	ii	3
Helenium	xix	65
Helianthus	xix	66
Helleborus	xiii	46
Helonias	vi	24
Hemerocallis	vi	23
Heracleum	v	16
Herniaria	v	15
Hesperis	xv	53
Heuchera	v	15
Hibiscus	xvi	55
Hieracium	xix	61
Hippocrepis	xvii	57
Hippophae	xxii	73
Hippuris	i	1
Holcus	xxiii	76
Humulus	xxii	74
Hyacinthus	vi	23
Hydrangea	x	31
Hydrocharis	xxii	74
Hydrocotyle	v	16
Hydrophyllum	v	11
Hymenophyllum	xxiv	79
Hyoscamus	v	14
Hypericum	xviii	59
Hypochæris	xix	61
Hyssopus	xiv	47
Iberis	xv	52
Ilex	iv	9
Imperatoria	v	17
Inula	xix	64
Iris	iii	5
Ixia	iii	6
Jasminum	ii	2
Juglans	xxi	71
Juniperus	xxii	75
Kalmia	x	30
Lactuca	xix	60
Lamium	xiv	48
Lathræa	xiv	50
Lathyrus	xvii	57
Laurus	ix	29
Lavandula	xiv	48
Lavatera	xvi	55
Ledum	x	31
Leonurus	xiv	49
Leucojum	vi	19
Ligusticum	v	17
Ligustrum	ii	2
Lilium	vi	20
Linnæa	xiv	51
Linum	v	18
Liriodendron	xiii	45
Lithospermum	v	10
Lobelia	v	13
Lolus	xvii	58
Lonicera	v	13
Lunaria	xv	52
Lupinus	xvii	57
Lychnis	x	34
Lycopodium	xxiv	78
Lycopus	ii	3
Lysimachia	v	11
Lythrum	xi	36
Magnolia	xiii	45
Malva	xvi	55
Marrubium	xiv	48

	Class.	Page.
Medicago	xvii	58
Melissa	xiv	49
Melittis	xiv	49
Menispermum	xxii	75
Mentha	xiv	48
Menyanthes	v	14
Mercurialis	xxii	74
Mespilus	xii	39
Meum	v	14
Moerhingia	viii	27
Monarda	ii	4
Morus	xxi	70
Myagrum	xv	52
Myrica	xxii	73
Narcissus	vi	19
Nepeta	xiv	48
Oenothera	viii	26
Onoclea	xxiv	78
Ononis	xvii	57
Ophioglossum	xxiv	78
Ophrys	xx	68
Orchis	xx	68
Origanum	xiv	49
Ornithogalum	vi	22
Orobanche	xiv	51
Orobus	xvii	57
Osmunda	xxiv	78
Oxalis	x	34
Pæonia	xiii	43
Panax	xxiii	77
Papaver	xiii	42
Parietaria	xxiii	77
Paris	viii	28
Parnassia	v	18
Parthenium	xix	67
Passiflora	xvi	54
Peucedanum	v	17
Philadelphus	xii	38
Phillyrea	ii	2
Phlomis	xiv	49
Phlox	v	12
Physalis	v	15
Phyteuma	v	12
Picris	xix	61
Pinguicola	ii	4
Pinus	xxi	71
Pisum	xvii	57
Plantago	iv	8
Plumbago	v	12
Podalyria	x	30
Podophyllum	xiii	42
Polemonium	v	12
Polygala	xvii	56
Polygonum	viii	27
Polypodium	xxiv	79
Populus	xxii	74
Potentilla	xii	40
Poterium	xxi	71
Prenanthes	xix	60
Primula	v	11
Prunella	xiv	49
Prunus	xii	38
Pteris	xxiv	79
Pulmonaria	v	10
Pyrethrum	xix	65
Ranunculus	xiii	46
Reseda	xi	37
Rhamnus	v	14
Rheum	ix	29
Rhodiola	xxii	74
Rhododendron	x	30
Rhus	v	17
Robinia	xvii	57
Rosa	xii	40
Rosmarinus	ii	4
Rubia	iv	8
Rubus	xii	41
Rudbeckia	xix	66
Rumex	vi	24
Ruscus	xxii	75
Ruta	x	30
Salicornia	i	1
Salix	xxii	73
Salsola	v	15
Salvia	ii	4

	Class.	Page.
Sambucus	v	17
Sanguinaria	xiii	43
Sanguisorba	iv	9
Sanicula	v	15
Santolina	xix	61
Saponaria	x	32
Satureja	xiv	47
Satyrium	xx	68
Saururus	vii	25
Saxifraga	x	31
Scabiosa	iv	8
Scilla	vi	22
Scleranthus	x	32
Scorzonera	xix	60
Scrophularia	xiv	50
Scutellaria	xiv	49
Sedum	x	33
Sempervivum	xi	37
Senecio	xix	62
Serapias	xx	69
Serratula	xix	61
Sibbaldia	v	18
Sideritis	xiv	48
Silene	x	33
Silphium	xix	67
Sison	v	16
Sisyrinchium	xvi	54
Sium	v	16
Smilax	xxii	74
Solanum	v	14
Soldanella	v	11
Solidago	xix	64
Sorbus	xii	39
Spartium	xvii	56
Spergula	x	35
Spiræa	xii	39
Stachys	xiv	48
Statice	v	18
Stellaria	x	33
Stipa	iii	7
Stratiotes	xiii	44
Styrax	x	31
Symphytum	v	10
Syringa	ii	2
Tabernæmontana	v	14
Tamarix	v	17
Tamus	xxii	74
Tanacetum	xix	62
Taxus	xxii	75
Telephium	v	18
Teucrium	xiv	47
Thalictrum	xiii	45
Thuja	xxi	72
Thymus	xiv	49
Tiarella	x	32
Tofieldia	vi	24
Tormentilla	xii	41
Trachelium	v	10
Tradescantia	vi	19
Trifolium	xvii	58
Trigonella	xvii	58
Triosteum	v	14
Trollius	xiii	46
Tulipa	vi	21
Tussilago	xix	62
Typha	xxi	70
Utricularia	ii	4
Valantia	xxiii	77
Valeriana	iii	5
Veratrum	xxiii	76
Verbascum	v	13
Verbena	ii	3
Veronica	ii	2
Viburnum	v	17
Vicia	xvii	57
Vinca	v	15
Viola	v	14
Viscum	xxii	73
Zanthorhiza	v	18
Zanthoxylum	xxii	74
Ziziphora	ii	4
Ziziphus	v	11

INDEX

OF

ENGLISH AND TRIVIAL NAMES.

	Page.
Adder's Tongue	78
Agrimony	36
Alaternus	14
AlexandrianLaurel	75
Alkanet	10
Almond	38
Allspice	41
Althæa-frutex	55
American Cowslip	11
Arbor-vitæ	72
Archangel	48
Asarabacca	36
Ash Tree	77
Asphodel	22
Atamasco Lily	23
Auricula	11
Avens	41
Balm	49
Bane-berry	42
Barren-wort	9
Base Rocket	37
Basil	49
Bastard-Balm	49
Bawd-money	14
Bear-berry	25
Bear's-foot	46
Bear's-breech	51
Beech	71
Bell-Flower	12
Beet	17
Berberry	23
Betony	48
Bindweed	12
Bird's foot Trefoil	58
Bird's nest	68
Birth-wort	69
Bistort	27
Bittersweet	14
Bitter-Vetch	57
Black-Bryony	74
BlackMaster-wort	16
Black-Snake-root	42
Bladder Senna	58
Borage	10
Box Tree	70
Brake	79
Bramble	41
Broom	56
Broom Rape	51
Bryony	72
Buckbean	14
Buckthorn	14
Bugle	47
Bugloss	10
Bug-wort	44
Burnet	71
Butcher's-Broom	75
Butter-wort	4
Cabbage	53

	Page.
Calathian Violet	16
Calamint	49
Campion	33
Candle-berry-myrtle	73
Candy-tuft	52
Cardinal's Flower	13
Carline	60
Catalpa	50
Catch-fly	33
Cat-Mint	48
Cat's-Ear	61
Cat's-Tail	70
Cat-Thyme	47
Cedar of Lebanon	71
Celandine	42
Centaury	66
Chamomile	65
Cherry Tree	38
Christmas Rose	46
Christ's Thorn	11
Cinquefoil	40
Cives	20
Club Moss	78
Codlins and Cream	26
Colt's-foot	62
Columbine	44
Comfrey	10
Common Dragon	71
Coral-wort	53
Corn-Flag	5
Cow-Parsley	17
Cow-Parsnep	16
Cowslip	11
Crane's-bill	54
Cross-wort	77
Crow-berry	73
Crow-foot	46
Crown Imperial	21
Cuckow-Flower	53
Cudweed	62
Cup-fern	79
Cypress	72
Daffodil	19
Daisy	65
Dame's Violet	53
Dane-wort	17
Date-Plum	77
Day-Lily	23
Dead Nettle	48
Deadly Nightshade	13
Dock	24
Dog's Bane	15
Dog's-tooth Violet	20
Dogwood	9
Dragon's-Head	49
Drop-wort	39
Duck's-foot	42
Dutch Clover	58
Earth Nut	16
Elder	17
Elecampane	64
Enchanter's Nightshade	2
English Mercury	16
Eryngo	16
Evergreen Cytisus	57
Evergreen Thorn	39
Everlasting	62
Everlasting Pea	57
False Acacia	57
Feather-grass	7
Fenugreek	58
Fern	78
Feverfew	65
Fever-wort	14
Fig Tree	77
Fig-wort	50
Fir Tree	71
Flax	18
Flea-bane	66
Flower-de-luce	5
Flowering Fern	78
Flowering Rush	29
Forked Fern	79
Fox-glove	50
Fraxinella	30
Fringe Tree	2
Friar's Cowl	71
Fritillary	21

	Page.
Frog-bit	74
Fumitory	56
Garden Sorrel	24
Garlic	20
Gelder Rose	17
Gentian	15
Gentianella	15
Germander	47
Giant-Fennel	16
Ginseng	77
Gladwin	6
Glass-wort	1
Globe-Flower	46
Globe-Thistle	67
Goat's-Rue	58
Gold of pleasure	52
Golden Rod	64
Golden Samphire	64
Golden-Saxifrage	32
Goldilocks	61
Gold-Plant	71
Goose-Foot	16
Grass of Parnassus	18
Great Burnet	9
Greek-Valerian	12
Ground-Ivy	47
Groundsel	62
Gromwell	10
Hare-bell	22
Hare's-foot fern	79
Hart's-tongue	79
Hawkweed	61
Haw-thorn	38
Heath	26
Hedge-Hyssop	3
Hedge-Mustard	53
Hedge-Nettle	48
Hellebore	46
Helleborine	69
Hemp Agrimony	61
Henbane	14
Hepatica	45
Heron's Bill	54
Herb-Bennet	41
Herb-Christopher	42
Herb-Paris	28
Hickery	71
High-taper	13
Hog's Fennel	17
Holly	9
Holly-hock	55
Honesty	52
Hone-wort	16
Honey-suckle	13
Hooded Milfoil	4
Hoop-peticoat	20
Hop	74
Horehound	48
Horse-Chesnut	25
Horse-Radish	52
Horse-Shoe-Vetch	57
Horse-Tail	78
Hound's-Tongue	10
Houseleek	37
Hyacinth	23
Hyssop	47
Indian Millet	76
Iron-wort	48
Japan-rose	55
Jasmine	2
Jersey Star Thistle	67
Jerusalem Artichoke	66
Jerusalem Sage	49
Jonquil	19
Juniper	75
Kidney-Vetch	57
King's Spear	22
Knapweed	67
Knawel	32
Labrador Tea	31
Laburnum	57
Ladies' Bedstraw	8
Ladies' Mantle	9
Ladies' Slipper	69

	Page.
Ladies' Smock	53
Ladies' Traces	68
Larkspur	43
Laurel	29
Laurestine	17
Lavender	48
Lavender-cotton	61
Lead-wort	12
Leopard's-bane	65
Lettuce	60
Lilac	2
Lily	20
Lily of the Valley	22
Ling	26
Liquorice	58
Lizard's-tail	25
London Pride	32
Loose-strife	11
Lovage	17
Lucern	58
Lung-wort	10
Lupine	57
Lychnidea	12
Madder	8
Madwort	52
Maiden Hair	79
Mallow	55
Mandrake	13
Man's-beard	76
Mare's-tail	1
Marjoram	49
Marsh Fleawort	64
Marsh Mallow	55
Marsh Marygold	46
Martagon	20
Master-wort	17
May Apple	42
Meadow Rue	45
Meadow Saffron	24
Meadow-sweet	39
Medick	58
Medlar	39
Mercury	74
Mezereon	27
Middle Flea-bane	64
Milfoil	65
Milk-Vetch	58
Milk-wort	56
Mint	48
Missel-toe	73
Money-wort	11
Monk's hood	44
Monk's Rhubarb	24
Moon-seed	75
Moon-wort	78
Moschatel	28
Mother-wort	49
Mountain Fleawort	64
Mountain Spider-wort	22
Mouse-ear Chick-weed	34
Mug-wort	62
Mulberry	70
Mullein	13
Navel-wort	35
Nettle Tree	77
Nightshade	14
One-berry	28
Onion	20
Orache	77
Orpine	18
Ox-eye	65
Ox-eye Daisy	65
Oxlip	11
Ox-tongue	61
Pæony	43
Pasque Flower	45
Passion Flower	54
Pea	57
Pellitory	77
Penny-royal	48
Penny-wort	16
Periwinkle	15
Persicaria	27
Pheasant's-eye	45
Pile-wort	46
Pimpernell	12

	Page.
Pine	71
Pink	32
Pipperidge Bush	23
Plantain	8
Plowman's Spike-nard	66
Polyanthus	20
Polypody	79
Poplar Tree	74
Poppy	42
Portugal Laurel	38
Primrose	11
Privet	2
Puccoon	43
Ragged Robin	34
Ragwort	62
Rampion	12
Red Cedar	75
Reed-grass	7
Reed-mace	70
Rest-harrow	57
Rhubarb	29
Ribwort	8
Rocambole	20
Rocket	53
Rock-Rose	42
Rose	40
Rose Acacia	58
Rose-Bay	30
Rose Campion	34
Rose-root	74
Rosemary	4
Rough Bindweed	74
Rue	30
Rupture-wort	15
Saffron	5
Sage	4
Saint John's wort	59
Salt-wort	15
Samphire	16
Sand-wort	33
Sanicle	15
Satyrion	68
Sauce-alone	53
Savin	75
Savoury	47
Savoy Spider-wort	22
Saw-wort	61
Saxifrage	31
Scabious	8
Scorpion Senna	58
Scotch Asphodel	24
Scull-cap	49
Scurvy-grass	52
Sea Buckthorn	73
Sea Chickweed	33
Sea Holly	16
Sea-Lavender	18
Sea-Ragwort	64
Self-heal	49
Sensitive Fern	78
Septfoil	41
Service Tree	39
Shave-grass	78
Snake-weed	27
Snap-dragon	50
Sneeze-wort	65
Snow-drop	19
Snow-flake	19
Soap-wort	32
Solomon's Seal	22
Sorb	39
Sorrel	34
Southernwood	62
Sow-bread	11
Spanish Catchfly	33
Spear-wort	46
Speedwell	2
Sperage	22
Spider-wort	19
Spignel	17
Spindle-Tree	14
Spleen-wort	79
Spring-Grass	4
Spurge	37
Spurge-Laurel	27
Spurrey	35
Squill	22
Star of Bethlehem	22
Starwort	62
Stinking Horehound	48
Stitch-wort	33

	Page.
Stock	53
Stone-crop	33
Storax	31
Stork's Bill	54
Strawberry	40
Strawberry Tree	31
Stone-fern	78
Succory	61
Sulphur-wort	17
Sumach	17
Sun-dew	18
Sun-Flower	66
Swallow-wort	15
Sweet-Bay	29
Sweet-brier	40
Sweet-flag	23
Sweet-Gale	73
Sweet-Maudlin	65
Sweet-William	32
Sword-Lily	5
Syringa	38
Tacamahac	74
Tamarisk	17
Tansy	62
Thistle	61
Thrift	18
Throat-wort	10
Thyme	49
TickseedSunflower	66
Toad Flax	50
Tooth-ach Tree	74
Tooth-wort	50
Tormentil	41
Traveller's joy	45
Tree-Primrose	26
Trefoil	58
True-love	28
Trumpet-Flower	50
Tulip	21
Tulip-Tree	45
Tutsan	59
Tway-blade	68
Valerian	5
Vervain	3
Vetch	57
Violet	14
Viper's Grass	60
Virgin's Bower	45
Wake-Robin	71
Wall-flower	53
Wall-Rue	79
Walnut	71
Water-Horehound	3
Water-leaf	11
Water-Parsnep	16
Water-soldier	44
Welsh Onion	20
White Hellebore	76
Wild Basil	49
Wild Chervil	17
Wild Liquorice	58
Wild Rosemary	31
Wild Service	38
Willow	73
Willow-Herb	26
Windflower	45
Winter Aconite	46
Winter Cherry	15
Winter-Cress	53
Wolf's-bane	43
Woodroof	8
Wood Sorrel	34
Wormwood	62
Wound-wort	48
Yarrow	65
YellowDeadNettle	48
Yellow-root	18
Yew Tree	75

Erratum—p. 16, for PARSNEP *read* COW-PARSNEP.

RODGERS, Printer, WHITBY.